


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.9
An 528h
Reserve A. H. D. No. 39A

U. S. DEPARTMENT OF AGRICULTURE
Bureau of Animal Industry
Animal Husbandry Division

Issued November 1941



DIRECTORY OF U. S. REGISTER OF MERIT SIRES AND DAMS

(Including A Summary of Their Family Performance)

1939-1940 Trap-nest Record Year

Introduction

The first annual Directory of U.S.R.O.M. Sires and Dams was issued in April 1941. That Directory included the records of 155 sires and 809 dams that qualified on the basis of their daughters' records during the 1938-39 trap-nest record year. This second annual Directory contains the records of the 191 U.S.R.O.M. sires and 1,153 U.S.R.O.M. dams that qualified on the basis of their daughters' records during the 1939-40 trap-nest record year.

Record of performance (R.O.P.) breeders in this country have developed superior laying strains, largely through mating high-record hens to the sons of high-record hens. Many R.O.P. breeders have found that greater progress is possible through mating on the basis of family records. The mean egg production of the daughters from a mating of a given sire and a given dam is the index of greatest value in determining the breeding potentiality of an individual sire or dam. Proved sires and dams should be remated whenever possible. All qualified sons and daughters of U.S.R.O.M. sires and dams should be used by breeders in their U.S.R.O.P. matings.

In order to encourage the selection of breeding birds on the basis of family records and to provide official recognition for accomplishments from the use of the progeny-test method of breeding, the U.S. Register of Merit breeding stage was established in the National Poultry Improvement Plan. The requirements for U.S.R.O.M. males and U.S.R.O.M. females, as given in the plan (Miscellaneous Publication No. 300), are quoted as follows:

For the purpose of qualifying for the U.S. Register of Merit stage, the progeny records for one breeding season only shall be considered.

U.S.R.O.M. MALE.--A U.S.R.O.M. male is a male which, when mated to U.S.R.O.P. females, has at least one-third of his daughters that are entered in U.S.R.O.P. qualify for U.S.R.O.P. and a minimum of 20 that qualify.

U.S.R.O.M. FEMALE.--A U.S.R.O.M. female is a U.S.R.O.P. female which, when mated to a U.S.R.O.P. male in an individual pedigree mating, has at least one-third of her daughters that are entered in U.S.R.O.P. qualify for U.S.R.O.P. and a minimum of four that qualify. The females in U.S.R.O.P. candidate matings which qualify as U.S.R.O.P. may qualify as U.S.R.O.M. through the performance of their daughters.

During the 1939 National Poultry Improvement Plan conference in Cleveland, Ohio, a committee was appointed to develop a procedure to be followed in supplying published information concerning U.S.R.O.M. sires and dams. In order to obtain the information as developed and approved by the committee, officials of the U.S. Department of Agriculture have developed a system of transferring the U.S.R.O.P. records to punch cards, analyzing the data on a family basis, and preparing a U.S.R.O.P. Production and Pedigree Report for the breeder and the official State agency. Since the report shows the performance records for each daughter entered in U.S.R.O.P. by families, it supplies the necessary information on the U.S.R.O.M. sires and dams for these publications.

Only those sires and dams that qualified for U.S.R.O.M. on the basis of reports submitted to the Bureau for analysis are included in these publications. During the 1938-39 trap-nest record year there were 317 U.S.R.O.P. breeders, and the records of 156 of these breeders located in 29 States were received for analysis.

The number of U.S.R.O.M. birds given certification in the first Directory, which was based on the daughters' records only for the 1938-39 trap-nest record year, are listed by breeds as follows:

<u>Breed</u>	<u>Sires</u>	<u>Dams</u>
Single-Comb White Leghorns	129	670
Single-Comb Rhode Island Reds	15	73
Barred Plymouth Rocks	3	13
New Hampshires	5	34
White Plymouth Rocks	<u>3</u>	<u>19</u>
Total	155	809

During the 1939-40 trap-nest record year there were 335 U.S.R.O.P. breeders, and the records of 192 of these breeders located in 30 States were received for analysis. This Directory for the 1939-40 trap-nest record year includes the following U.S.R.O.M. birds listed by breeds:

<u>Breed</u>	<u>Sires</u>	<u>Dams</u>
Single-Comb White Leghorns	161	921
New Hampshires	15	88
Barred Plymouth Rocks	8	62
Single-Comb Rhode Island Reds	4	59
White Plymouth Rocks	1	15
White Wyandottes	2	6
White Minorcas	<u>0</u>	<u>2</u>
Total	191	1,153

The U.S.R.O.M. birds are listed by breeds, in the above-named order. Under each breed the birds are listed by sex (sires and dams) and under both sires and dams the breeders' names are listed alphabetically.

The data reported for each U.S.R.O.M. sire can best be explained by referring to the first sire listed, B-662 (page 5). This sire was leg-banded with No. B-662 when he qualified as a U.S.R.O.P. male. His dam laid 313 eggs during her first trap-nest record year and the average of all eggs weighed during her first laying year was 24.2 ounces per dozen. Her body weight was not reported, but for other birds where the body weight is shown it is the average of two or more weights taken by the R.O.P. inspector between January 1 and August 1 of the first laying year. Of the 12 dams that were mated to this sire, 4 qualified as U.S.R.O.M.

The records of the daughters are considered to be the most important measure of the breeding qualities of a sire or a dam. Sire B-662 had 76 daughters entered in U.S.R.O.P., of which 57 or 75 percent completed the trap-nest record year and 38 qualified as U.S.R.O.P. females. The 76 daughters entered in U.S.R.O.P. averaged 174 eggs per bird on the basis of a hen-housed average. The hen-housed average is computed by dividing the total number of eggs laid by the number of birds entered. The average egg weight of all daughters for which egg weights were reported was 26.4 ounces per dozen. The average body weight of all daughters for whom body weights were reported was 4.6 pounds. Of the 19 daughters that completed the year but failed to qualify, 17 failed because they laid less than 200 eggs and two failed because their average egg weight was less than 24 ounces to the dozen.

The fifth U.S.R.O.M. dam listed for P. C. Atha, Jr., (page 13) is C-496. This dam was one of the four U.S.R.O.M. mates of Sire B-662. She laid 259 eggs averaging 24.5 ounces to the dozen during her first laying year, and her average body weight was 4.5 pounds. She had 16 daughters entered in U.S.R.O.P.; 14 or 87.5 percent completed their first laying year, and 12 qualified. The average egg production of the 16 daughters on a hen-housed basis was 233 eggs. The average egg weight of all daughters entered on which official weights were obtained was 26.4 ounces per dozen, and the average body weight of all daughters having two or more weights reported was 4.6 pounds. Of the two daughters that completed the year but failed to qualify, each failed because she laid less than 200 eggs.

The abbreviations used in the tables are as follows:

U.S.R.O.P.	-	U.S. Record of Performance
U.S.R.O.M.	-	U.S. Register of Merit
No.	-	Number
Prod.	-	Production
Wt.	-	Weight
Oz.	-	Ounces
Doz.	-	Dozen
Lbs.	-	Pounds

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Qualified (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.P.	To- tal			Per- cent	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	
Atha, P. C., Jr., Route 5, Fairmont, W. Va.	B-662	313	24.2	--	4	12	76	38	57	75.0	174	26.4	4.6	17	2	0
Avery, G. W. & Son, Tualatin, Oreg.	8M1924 8M1914 8M1916 8M1869	282 289 289 282	24.3 24.2 24.2 24.3	4.1 4.5 4.5 4.1	7 5 4 7	9 13 15 13	27 94 110 72	20 46 42 42	23 58 60 49	85.2 61.7 54.5 68.1	254 196 182 227	25.3 25.5 25.0 25.6	4.2 4.4 4.2 4.3	0 8 5 1	3 5 14 9	1 0 2 2
Beall, L. C., Vashon, Wash.	K-3015 K-3048	301 308	24.4 25.6	4.7 4.2	1 1	9 7	38 39	22 20	27 22	71.1 56.4	225 193	24.8 24.8	4.2 4.1	1 4	5 0	0 0
Bengtson Brothers, Puyallup, Wash.	1347 1358 4857	299 331 340	24.7 26.9 25.2	4.4 5.0 5.4	1 1 4	11 12 15	30 28 48	24 20 36	28 24 45	93.3 85.7 93.8	236 243 250	25.8 25.4 25.2	4.3 4.4 4.3	2 1 4	2 3 5	0 0 0
Bishop's Poultry Farm and Hatchery, New Washington, Ohio	F-1083	300	24.2	--	2	17	69	23	29	42.0	137	25.4	4.5	2	5	0
Bowles, H. T., Kenesaw Poultry Farm, Charlottesville, Va.	C-1507 C-3508 C-3510 C-3518	247 330 258 267	27.6 24.0 27.2 24.8	4.2 4.3 4.6 4.0	2 9 5 3	10 12 12 10	49 141 49 61	25 108 35 42	28 123 39 48	57.1 87.2 79.6 78.7	177 234 213 218	26.9 26.2 26.3 25.1	4.9 4.7 4.8 4.6	8 13 3 3	0 2 1 3	0 0 0 0
Champion Poultry Farm, Champion, N. C.	M-230 M-1120 M-1129 M-1160	257 283 275 279	27.6 25.5 25.6 25.1	4.6 4.1 4.0 4.5	2 7 5 3	6 20 15 9	43 98 77 63	23 46 44 27	32 74 59 41	74.4 75.5 76.6 65.1	190 179 179 161	27.0 26.1 26.5 26.4	4.5 4.5 4.3 4.5	9 23 15 12	0 6 0 2	0 0 0 0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

Single-Comb White Leghorn Sires (Continued) 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Produced (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			
														Egg prod. wt.	Egg Body wt.	
Coles, W. B., Airpoint, Va.	3540	252	26.5	5.0	5	11	90	40	63	70.0	206	24.7	4.0	10	16	1
	4476	302	25.6	4.1	5	13	82	36	50	61.0	174	27.0	4.4	11	2	1
	4503	277	25.0	4.4	5	15	98	47	64	65.3	196	24.9	4.0	5	12	0
	4504	302	25.6	4.1	7	13	70	45	53	75.7	210	26.4	4.2	6	2	1
Coombs, J. O. and Son, Sedgwick, Kans.	I-137	276	25.3	4.8	4	13	129	45	79	61.2	179	24.7	4.0	13	24	11
	I-161	286	25.5	4.0	8	16	163	73	95	58.3	184	25.3	4.4	9	20	2
	I-504	296	24.8	—	5	14	162	61	94	58.0	193	24.8	4.1	14	25	7
	612	302	25.5	—	1	10	49	20	28	57.1	183	24.7	4.1	4	5	2
Creighton Bros., Warsaw, Ind.	F-668	227	28.4	5.0	4	11	68	30	36	52.9	156	25.6	4.7	5	1	0
	F-2628	308	24.2	5.0	2	11	48	23	27	56.3	170	25.3	4.7	3	2	0
	F-3715	299	27.5	4.6	2	13	51	21	27	52.9	162	25.5	4.5	7	0	0
	F-3929	276	24.7	—	2	15	52	22	29	55.8	166	25.6	4.9	7	3	0
	F-6007	270	24.1	4.0	2	12	65	22	30	46.2	144	25.6	4.7	9	0	0
	F-6093	286	24.3	4.7	2	11	60	25	33	55.0	175	25.0	4.6	4	3	0
	F-6210	301	26.2	4.6	4	12	76	30	42	55.3	151	26.2	4.6	12	0	0
	F-6273	296	24.8	4.6	2	13	58	20	30	51.7	153	24.7	4.5	8	3	3
	F-6696	303	24.1	4.8	5	10	66	28	31	47.0	156	26.4	4.6	5	0	0
	F-6884	276	24.5	5.2	0	15	46	20	27	58.7	160	25.3	4.6	8	0	0
	F-6938	276	25.0	4.8	3	10	49	26	33	67.3	191	26.9	4.6	6	0	0
	F-7521	281	26.1	5.3	3	15	70	26	30	42.9	146	25.7	4.7	6	1	0
	F-7665	272	25.1	4.4	4	17	85	37	45	52.9	162	25.4	4.6	8	3	0
	F-7847	286	24.3	5.0	2	9	49	20	25	51.0	175	25.9	4.7	5	2	0
Dembro Poultry Farm, Sewell, N. J.	C-61	250	26.0	—	2	16	63	22	25	39.7	—	—	—	3	0	0
	C-203	246	25.0	—	5	16	96	39	45	46.9	—	—	—	4	2	2

1/For explanation of abbreviations, units, symbols, etc., see Introduction.
2/Hen-housed family average.

Single-Comb White Leghorn Sires (Continued) 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Per- centage (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)		
Dickey, P. S., Puyallup, Wash.	1156	253	25.6	4.6	3	6	28	20	27	96.4	213	25.3	4.1	0	0
	1158	286	26.2	4.0	2	9	39	25	34	87.2	244	25.2	4.2	0	0
	2724	318	26.6	3.6	6	10	66	49	58	87.9	248	25.2	4.2	1	1
	2735	318	26.6	3.6	2	13	45	24	30	66.7	185	25.8	4.3	0	0
Egg & Apple Farm, Trumansburg, N. Y.	K-22576	270	26.4	4.3	3	7	59	20	29	49.2	176	24.8	4.0	5	5
	K-22590	248	23.5	4.4	3	9	61	24	34	55.7	190	24.9	4.2	3	3
	K-23574	265	25.2	4.4	2	9	63	21	34	53.9	173	25.3	4.0	5	5
Empire Hatchery and H. I. Weller, Columbus Grove, Ohio	G-3000	300	25.7	6.1	5	12	60	33	44	73.3	196	25.6	4.7	0	0
	G-3001	300	25.7	6.1	5	17	118	45	71	60.2	172	26.4	4.7	0	0
	M-1008	303	25.4	—	5	6	59	29	29	49.2	175	26.4	5.1	0	0
	G-799	305	27.0	4.6	3	15	85	32	59	69.4	194	24.4	4.9	0	0
Casson's Poultry Farm, Versailles, Ohio	G-816	295	25.4	5.1	6	18	114	57	88	77.2	224	24.3	4.8	0	0
	G-863	307	25.1	4.4	3	16	79	32	59	74.7	210	24.5	4.9	0	0
	G-867	300	25.0	4.0	5	18	78	51	55	70.5	215	25.6	5.0	0	0
	G-888	292	24.5	5.1	5	17	74	38	61	82.4	212	24.9	5.1	0	0
	G-926	299	26.6	4.5	7	19	85	48	58	68.2	202	25.8	5.1	0	0
	G-937	299	26.6	4.5	1	12	43	24	30	69.8	208	24.9	4.8	0	0
	G-940	290	25.9	5.1	2	14	55	27	45	81.8	229	24.5	5.0	0	0
	G-963	315	25.1	4.6	2	17	60	25	40	66.7	206	24.7	4.9	0	0
	G-998	292	26.0	5.2	3	15	63	31	46	73.0	214	24.6	4.8	0	0
	G-1039	313	25.1	4.7	7	18	78	49	63	80.8	212	26.1	4.8	0	0
	G-1100	305	27.0	4.6	8	19	90	64	74	82.2	217	25.5	4.9	0	0
	G-1114	313	25.1	4.7	8	19	100	70	74	74.0	230	25.6	4.8	0	0
	G-1206	298	25.2	4.6	4	13	59	35	51	86.4	243	24.8	4.8	0	0
	G-1229	292	26.0	5.2	6	16	66	53	60	62.5	189	26.0	4.9	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

Single-Comb White Leghorn Sires (Continued) 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal	No.			Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body wt.		
Gasson's Poultry Farm, Versailles, Ohio (Continued)	G-1232	299	26.6	4.5	4	18	96	44	70	72.9	214	24.7	5.2	7	19	0	
	G-1890	305	27.0	4.6	8	17	85	48	64	75.3	217	25.4	4.8	11	8	0	
	G-1951	295	25.4	5.1	6	18	118	59	89	75.4	211	24.6	4.9	11	20	0	
	L-12994	—	—	—	6	14	125	49	92	73.6	181	25.6	4.4	26	13	7	
Gauss, C. B., Holcomb, N. Y.	B-1350	264	24.8	4.7	2	16	62	25	53	85.5	183	25.8	4.4	23	4	0	
Goetgeluck, Oscar, St. Marys, W. Va.	8-2031	325	24.9	4.6	5	11	58	42	48	82.8	242	25.7	4.4	3	4	0	
Hansen's Leghorn City, Puyallup, Wash.	8-2138	300	26.1	4.0	5	15	77	53	57	74.0	221	27.2	4.4	5	0	0	
	8-2217	293	26.0	4.0	1	8	32	24	26	81.3	235	26.1	4.2	2	0	0	
	8-2252	300	26.4	3.9	2	12	42	24	26	61.9	201	26.2	4.2	2	1	0	
	8-2256	299	25.6	4.4	6	16	72	48	55	76.4	223	25.7	4.2	3	4	0	
	8-2269	304	25.3	4.1	1	11	42	31	30	71.4	218	26.8	4.4	1	0	0	
	D-85	275	26.0	4.3	2	11	80	27	38	47.5	147	26.2	4.7	7	2	0	
Hansen Breeding Farm & Hatchery, Spanish Fork, Utah	D-86	245	26.4	3.6	2	8	70	24	34	48.6	159	26.1	4.7	8	3	0	
Hanson, J. A., Corvallis, Oreg.	6M690	300	27.0	—	11	15	126	92	106	84.1	249	25.4	4.8	11	8	0	
	7M709	321	25.5	5.4	7	13	79	51	61	77.2	242	25.7	4.8	8	7	0	
	6M753	323	25.3	—	6	11	89	54	77	86.5	249	24.5	4.7	11	18	0	
	7M997	321	27.3	4.1	5	13	70	39	57	81.4	209	25.9	4.8	15	4	0	
	8M1059	313	27.0	5.0	5	12	39	22	32	82.1	227	25.8	4.8	5	3	0	
	8M1087	323	28.3	4.9	7	13	77	55	63	81.8	243	25.7	4.9	4	3	0	
	8M1097	354	25.6	5.6	6	15	78	38	63	80.8	216	24.6	4.8	18	7	0	
	8M1110	321	26.7	5.1	10	18	72	49	57	79.2	224	26.5	5.2	9	2	0	
	7M1213	327	24.0	—	5	14	89	44	66	74.2	207	25.9	5.2	12	5	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.
2/ Hen-housed family average.

Single-Comb White Leghorn Sires (Continued) 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Qualified (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. doz.)	Body wt. (lbs.)	U.S. R.C.M.	To- tal			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. doz.)	Body wt. (lbs.)			
Hanson, J. A., Corvallis, Oreg. (Continued)	8M1216	329	25.6	4.6	5	8	68	40	59	86.8	226	25.9	5.1	12	4	0
	8M1240	327	25.8	5.4	5	16	65	32	53	81.5	205	25.6	4.5	16	7	0
	8M1448	304	26.8	4.7	5	11	41	29	37	90.2	232	26.2	4.9	6	0	0
	8M1621	327	25.8	5.4	7	13	103	56	84	81.6	224	25.1	4.8	15	13	0
	8M1651	327	25.8	5.4	4	15	54	35	50	92.6	228	26.7	5.2	13	2	0
	8M1654	354	25.6	5.6	5	14	76	49	62	81.6	219	26.1	4.7	13	3	0
	8M1657	329	25.6	4.6	3	11	50	32	41	82.0	247	25.5	4.9	3	6	0
	8M1662	354	25.6	5.6	7	12	92	60	80	87.0	240	25.8	5.0	14	9	0
	8M1663	354	25.6	5.6	4	15	44	27	37	84.1	228	26.3	5.3	8	3	0
	8M1676	354	25.6	5.6	5	9	43	27	40	93.0	254	25.0	4.6	5	10	0
Hawley, W. W., Jr., Batavia, N. Y.	8M1679	303	26.8	5.2	4	15	47	30	36	76.6	236	24.7	4.7	3	6	0
	8M1729	327	25.8	5.4	7	18	63	45	53	84.1	243	26.0	5.0	8	1	0
	I-21515	279	24.5	—	7	8	87	43	76	87.4	200	25.0	4.4	23	19	4
	J-22914	249	24.0	4.6	5	9	69	34	58	84.1	186	25.3	4.5	17	8	3
Hile's Poultry Farm, Mt. Vernon, Ohio	K-23303	247	25.2	4.0	5	8	113	60	96	85.0	198	25.0	4.4	29	12	4
	2573	314	26.0	5.5	4	18	90	38	81	90.0	149	25.6	4.7	8	6	1
	2680	287	27.1	—	3	12	47	24	40	85.1	184	25.4	4.9	2	5	0
	2984	314	26.0	5.5	7	19	119	60	99	83.2	166	25.5	4.5	4	7	0
Hutchings Breeding Farm & Hatchery, Springville, Utah	U-2279	264	26.3	—	5	10	50	36	42	84.0	220	27.1	4.0	6	0	1
	K-4570	321	26.4	5.0	2	13	50	33	41	82.0	217	26.7	4.4	7	1	0
	8M12123	300	26.1	4.0	4	10	43	38	38	88.4	252	26.6	4.5	0	0	0
Ranier, Oreg.																

1/For explanation of abbreviations, units, symbols, etc., see Introduction.
2/See-housed family average.

Single-Comb White Leghorn Sires (Continued) 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal	No.			Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body wt.		
Kirk, U. J., St. Paul, Oreg.	7M876	329	25.0	4.5	4	17	66	29	43	65.2	185	24.7	4.3	7	7	2	
	7M883	303	25.4	5.0	4	17	65	23	42	64.6	172	24.7	4.5	13	9	0	
	8M1948	313	28.6	4.9	3	10	71	28	42	59.2	172	25.4	4.3	9	5	1	
	8M1959	300	24.6	4.6	6	12	146	59	84	57.5	161	26.1	4.5	17	6	0	
	8M1971	310	25.2	4.6	6	14	141	48	86	61.0	168	25.3	4.4	24	12	1	
K. L. Lity Farm, Route 1, Cranbury, N. J.	C-1915	242	26.0	—	3	17	82	36	57	69.5	—	—	—	11	10	0	
	238	264	—	—	5	10	84	52	75	89.3	223	25.7	3.7	17	2	5	
	239	232	25.1	4.5	6	10	66	47	59	89.4	212	26.2	4.2	10	1	1	
	339	273	26.2	3.9	6	7	67	31	54	80.6	194	25.2	4.0	15	7	1	
	439	246	24.7	3.6	8	11	100	61	84	84.0	210	25.9	4.1	16	6	2	
Larson, Archie, Route 3, Weiser, Idaho	539	276	—	—	7	9	63	49	60	95.2	230	25.4	4.2	8	3	0	
	637	286	—	—	5	8	48	35	41	85.4	226	26.3	4.0	4	1	1	
	839	246	24.7	3.6	3	7	53	29	43	81.1	215	25.5	3.8	6	3	6	
	939	246	24.7	3.6	3	7	47	25	40	85.1	210	25.6	4.1	11	4	0	
	1137	225	—	—	4	5	45	25	37	82.2	191	25.9	4.3	8	4	0	
Lewis, H. H., Woodbine, Pa.	1339	260	25.8	4.4	6	11	79	48	70	88.6	211	25.6	4.1	14	4	2	
	1539	294	24.2	4.1	5	9	37	20	32	86.5	213	25.3	3.8	7	5	0	
	188	351	24.8	4.5	2	9	41	23	32	78.0	220	25.9	4.7	6	4	0	
	445	270	24.8	5.4	2	11	41	23	37	90.2	199	24.8	4.0	10	7	1	
	B-531	251	24.3	4.0	3	7	74	25	43	58.1	157	24.3	3.9	15	12	6	
Manti-Apex Breeding Farm, Manti, Utah																	

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Non-housed family average.

Single-Comb White Leghorn Sires (Continued) 1/

Daughters															
Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Omitted (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			Per- cent	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)		Body wt. (lbs.)
Marshall Farms, Mobile, Ala.	553	312	24.6	—	3	6	32	26	27	84.4	248	25.5	5.2	1	0
McGregor, V. C., Maine, N. Y.	554	312	24.7	—	1	11	29	20	25	86.2	261	24.8	4.8	1	0
Moll Breeding Farm, Wauseon, Ohio	K-24978	252	26.4	4.4	3	6	45	21	31	68.9	166	26.6	4.6	9	0
Peninsula Poultry Farm, Port Clinton, Ohio	K-24992	231	26.4	4.4	4	9	52	24	47	90.4	192	27.1	4.2	18	5
Plainview Poultry Farm, Grand Rapids, Mich.	G-3006	272	24.8	—	1	12	49	21	27	55.1	166	25.4	4.4	4	1
Plum Poultry Farm, London, Ohio	F-1032	309	25.1	—	1	16	62	27	38	61.3	180	25.5	4.9	7	0
Porter, Farley, Sodus, N. Y.	F-1056	307	25.1	—	2	19	98	39	54	55.1	177	25.4	4.8	10	0
Rowley, H. K., Mt. Morris, Pa.	L-2388	282	24.5	3.9	2	14	48	22	45	93.8	162	24.6	4.3	22	0
	F-366	307	25.1	—	1	13	93	31	51	54.8	151	24.8	4.3	15	1
	K-23074	251	27.6	4.8	0	11	59	20	25	42.4	139	25.9	4.5	6	0
	B-1095	269	28.0	4.6	4	11	72	38	54	75.0	202	26.2	4.4	15	1
	B-1153	280	27.4	5.3	3	12	56	28	37	66.1	193	25.7	4.7	8	0
	B-1165	260	27.4	5.3	7	14	54	31	41	75.9	205	26.3	4.8	8	0
	B-1175	308	24.5	4.5	6	10	81	49	57	70.4	201	26.2	4.4	12	0
	B-1183	248	25.2	5.1	9	14	124	81	99	79.8	213	26.9	5.0	20	0
	B-1206	236	25.8	4.6	5	15	85	42	53	62.4	196	26.2	4.7	5	0
	B-1252	266	25.9	3.4	5	10	44	26	35	79.5	222	25.3	4.6	4	0
	B-1253	288	24.0	5.0	2	12	57	24	42	73.7	179	23.9	4.5	12	0
	B-1318	270	25.1	3.9	3	7	36	23	29	80.6	212	26.0	4.1	3	0
Rowley, P. B., Puyallup, Wash.	4075	259	25.4	—	2	9	46	22	33	71.7	189	24.9	4.1	7	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Non-housed family average.

Single-Comb White Leghorn Sires (Continued) 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Entered (no.)	Qualified (no.)	Completing year		Average performance			No.comp,year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz.) per doz.)	Body wt. (lbs.)	U.S. R.O.M. tal	To- tal	No.			Per- cent	Egg2/ prod. (no.)	Egg wt. (oz.) per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt. Body wt.		
Sand Springs Home Farms, Sand Springs, Okla.	1407	252	25.6	4.2	9	14	71	100	67.6	185	25.4	4.3	19	11	2		
Space, Mrs. R. Tyler, Homer, N. Y.	3080	254	25.6	5.1	5	9	46	53	63.9	202	25.5	4.3	4	9	0		
Stephens, Frank, Star City, Ind.	K-22364	289	25.2	4.2	1	14	25	41	58.6	156	25.0	4.5	13	3	0		
	K-22366	289	25.2	4.2	1	15	25	36	59.0	154	25.3	4.3	9	3	1		
	F-3414	270	28.7	5.7	1	17	38	57	67.9	188	25.3	4.9	18	7	0		
	F-3430	276	25.4	5.6	1	13	21	40	71.4	176	25.5	4.4	18	6	1		
	F-3473	288	25.4	5.0	7	19	48	67	78.8	207	25.1	4.8	16	9	0		
Townline Poultry Farm, Zeeland, Mich.	F-7949	292	--	--	5	18	55	93	78.2	200	25.0	5.0	30	11	0		
Townsend, Francis J., Cazenovia, N. Y.	L-2215	299	24.0	3.5	3	12	27	53	69.7	149	25.3	4.4	20	8	0		
	K-22016	263	25.2	4.0	5	7	44	67	65.7	196	25.5	4.2	9	14	9		

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg band number of -				Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	Per- cent			Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	Egg prod.	Egg wt.	Body wt.
Alexander, J. A., Stony Point, N. C.	B-15 B-1510	M-1063 M-1064	203 314	25.3 26.0	4.0 4.4	11 16	6 9	54.5 62.5	171 204	25.9 26.1	4.1 4.3	0 1	0 0	0 0	0 0	0 0		
Altenburg, H. L., Middle River, Md.	324 332 380	324 381 694	211 211 261	25.1 26.1 24.7	4.0 4.8 5.0	10 9 12	4 4 8	90.0 88.9 83.3	183 163 201	25.6 25.9 25.4	4.4 4.7 4.7	6 4 3	0 0 0	0 0 0	0 0 0	0 0 0		
Atha, P. C., Jr., Route 5, Fairmont, W. Va.	C-498 C-509 C-487 C-492 C-496 C-541	B-658 B-658 B-662* B-662* B-662* B-662*	258 258 257 266 259 258	24.3 24.0 24.5 27.1 24.5 26.3	4.3 4.2 4.0 4.6 4.5 4.1	8 6 10 7 16 17	5 5 4 4 12 8	75.0 83.3 70.0 71.4 87.5 70.6	195 229 150 186 233 159	26.1 26.9 25.0 27.4 26.4 27.3	4.1 4.9 4.5 4.6 4.6 4.6	1 0 2 1 2 4	1 0 2 1 0 0	1 0 3 1 0 0	1 0 3 1 0 0	1 0 3 1 0 0	1 0 3 1 0 0	
Avery, G. W. & Son, Tualatin, Oreg.	6-38 7-58 7-85 7-109 7-115 7-136 7-170 7-196 7-204	8M1916* 8M1869* 8M1924* 8M1930 8M1928 8M1869* 8M1924* 8M1890 8M1916* 8M1869* 8M1924* 8M1869* 8M1924* 8M1914*	276 276 284 291 285 270 308 302 284	24.0 24.4 25.6 26.6 25.8 24.2 24.3 24.2 25.3	4.2 3.9 4.9 4.2 5.2 3.7 4.3 3.9 3.9	11 13 7 9 8 10 14 9 7	6 8 5 8 4 5 8 7 5	54.5 69.2 85.7 88.9 87.5 50.0 64.3 100.0 100.0	206 263 252 237 186 179 231 276 217	25.2 24.8 25.1 25.3 24.1 24.7 24.9 25.6 25.0	4.1 4.4 4.5 4.1 4.2 4.1 4.4 4.2 4.7	0 0 0 0 2 0 2 0 2	1 3 1 0 3 0 2 2 1	1 0 1 0 3 0 2 0 1	1 0 1 0 3 0 2 0 1	1 0 1 0 3 0 2 0 1	1 0 1 0 3 0 2 0 1	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)
Avery, G. W. & Son, Tualatin, Oreg. (continued)	7-211	(8M1869* 8M1924*)	256	24.2	4.2	16	12	13	81.3	256	25.6	4.2	0	0	0
	7-218	(8M1869* 8M1924*)	267	26.5	4.7	8	4	6	75.0	233	25.7	4.5	0	1	0
	7-234	(8M1930 8M1928)	291	24.8	4.6	13	7	9	69.2	203	25.7	4.2	1	0	0
	7-277	(8M1930 8M1928)	289	26.4	4.4	12	7	10	83.3	229	25.6	4.3	2	1	1
	7-282	(8M1916* 8M1890)	311	24.7	3.8	14	10	10	71.4	223	25.6	4.3	0	1	0
	7-299	(8M1890 8M1890)	288	24.1	3.9	21	10	14	66.7	210	24.9	4.0	1	3	0
	7-316	(8M1890 8M1916*)	292	25.8	4.3	12	5	9	75.0	232	24.5	4.1	1	3	0
	7-336	(8M1916* 8M1914*)	320	24.5	4.2	8	4	6	75.0	221	25.6	4.4	1	1	0
	7-337	(8M1914* 8M1922)	275	27.2	4.5	15	9	12	80.0	210	27.2	4.5	3	0	0
	7-377	(8M1922 8M1914*)	285	24.9	3.8	16	11	13	81.3	247	25.5	4.3	0	1	0
	7-447	(8M1922 8M1914*)	272	26.1	4.9	10	5	7	70.0	206	24.2	4.6	0	2	0
	7-462	(8M1914* 8M1914*)	259	25.7	3.9	7	5	6	85.7	230	25.5	4.3	0	1	0
	7-505	(8M1914* 8M1869*)	298	25.6	4.8	14	8	8	57.1	185	25.4	4.7	0	0	0
	7-527	(8M1869* 8M1924*)	293	24.6	4.4	7	6	6	85.7	246	25.5	4.5	0	0	0
Ayr lawn Farms, Bethesda, Md.	7-573	(8M1922 295)	278	26.3	5.0	9	4	6	66.7	215	25.4	4.9	0	0	0
	585	1916	301	24.8	5.0	18	10	9	50.0	183	24.6	4.5	2	3	1
	9	1916	203	26.0	3.5	7	4	4	57.1	197	24.9	4.5	1	1	0
Baum, W. C., Route 1, Kaw City, Okla.	590	1916	232	24.0	4.0	12	4	11	91.7	208	24.4	4.4	3	5	0
	2064	3330	234	25.4	3.8	7	4	5	71.4	200	25.3	4.4	0	1	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.C.P. leg band number of -	Dam's first- year record			Entered (no.)	Unfilled (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
Beall, L. C., Vashon, Wash.	Dam	Sire mate													
	J-74	I-1793	304	25.3	4.6	5	4	80.0	251	25.1	4.3	0	0	0	
	I-155	J-1831	264	25.6	5.1	10	7	70.0	223	25.6	4.5	0	0	0	
	J-151	J-1831	319	25.5	5.0	7	5	71.4	210	26.4	4.5	1	0	0	
	J-145	K-2787	315	25.0	4.5	6	5	83.3	241	25.7	4.8	0	0	0	
	I-550	K-3015*	270	27.2	4.5	5	5	100.0	288	25.1	4.2	0	1	0	
	I-209	K-3023	313	24.5	5.0	9	7	77.8	205	25.0	4.7	1	2	0	
	J-101	K-3023	309	25.6	4.2	6	4	66.7	202	25.2	4.4	0	0	0	
	J-739	K-3023	311	24.7	4.0	7	6	85.7	260	24.1	4.2	0	2	0	
	J-303	K-3048*	269	24.3	4.5	11	7	63.6	221	25.8	4.2	0	0	0	
	I-202	X-87	310	25.9	4.0	8	5	62.5	208	24.3	4.1	0	2	0	
	Bengtson Brothers, Puyallup, Wash.	J-5336	1347*	285	26.9	4.3	8	8	100.0	244	26.6	4.4	0	0	0
		J-5597	1358*	292	26.0	4.4	4	4	100.0	283	25.7	4.6	0	0	0
		J-5227	1360	328	26.1	4.2	9	8	88.9	260	24.9	4.0	1	2	0
		J-5462	1360	281	25.6	3.8	5	5	100.0	246	25.6	4.3	1	0	0
		I-2552	1372	313	25.4	4.7	4	4	100.0	267	25.3	4.8	0	0	0
I-4343		1372	314	25.6	4.0	9	8	88.9	223	25.1	4.1	2	1	0	
J-5212		4857*	287	26.6	4.6	4	4	100.0	266	25.4	4.4	0	0	0	
J-5404		4857*	300	26.2	4.6	5	5	100.0	301	25.6	4.5	0	1	0	
J-5520		4857*	276	25.9	4.6	5	5	100.0	287	25.3	4.5	0	0	0	
J-5578		4857*	258	26.0	4.3	5	5	100.0	256	25.1	4.3	0	0	0	
J-5207		4890	303	25.3	4.1	5	5	100.0	292	24.6	4.1	0	1	0	
I-4258		4975	315	24.6	4.2	6	5	83.3	249	24.8	4.2	0	1	0	
Bishop's Poultry Farm and Hatchery, New Washington, Ohio		G-155	F-1029	236	26.2	4.5	4	4	100.0	241	25.1	5.2	0	0	0
		F-327	F-1083*	266	24.8	4.0	5	4	80.0	202	26.1	4.1	0	0	0
		G-150	F-1083*	231	24.0	4.8	9	7	77.8	193	24.9	4.4	0	2	0
		G-109	6396	245	26.0	5.3	6	4	66.7	168	26.1	5.2	0	0	0

For explanation of abbreviations, units, symbols, etc., see Introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.P.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt.	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Bodine, Eli H., Chemung, N. Y.	I-7173	(K-22419	251	24.0	5.8	18	6	8	44.4	125	27.1	4.9	2	0	0
	I-7267	(J-23914	251	26.4	4.2	13	6	8	61.5	165	25.6	4.3	2	0	0
	J-8193	(K-20978	246	26.4	5.4	18	9	11	61.1	168	26.2	4.8	1	1	0
	J-8284	(K-22305	271	25.2	4.6	21	8	13	61.9	191	24.3	4.1	2	4	2
	J-8313	(K-20804	261	25.2	5.4	13	7	9	69.2	178	24.2	4.6	2	1	0
	J-8551	(K-20670	287	—	—	9	4	5	55.6	166	25.2	3.9	1	0	1
	J-8639	(K-22419	305	25.2	3.9	14	5	6	42.9	154	24.4	4.0	2	0	1
	J-8785	(K-20820	265	24.0	4.3	15	5	7	46.7	144	24.0	4.3	1	2	0
	K-1277	(K-20878	281	27.6	3.9	9	4	7	77.8	200	24.2	3.9	0	2	1
	316	(C-1507*	266	25.2	4.8	9	7	8	88.9	221	27.0	4.6	1	0	0
Bowles, H. T., Kenesaw Poultry Farm, Charlottesville, Va.	2778	(C-1507*	267	24.8	4.0	11	8	9	81.8	193	26.1	4.7	1	0	0
	606	(C-3508*	271	25.2	5.1	10	6	7	70.0	182	26.1	4.9	1	0	0
	616	(C-3508*	291	25.0	4.5	7	5	7	100.0	267	25.5	4.7	0	2	0
	639	(C-3508*	269	25.1	4.7	9	5	6	66.7	202	24.9	4.7	1	0	0
	650	(C-3508*	302	25.9	4.6	18	12	14	77.8	214	25.8	4.7	2	0	0
	681	(C-3508*	299	25.5	4.6	21	21	21	100.0	275	26.4	4.6	0	0	0
	700	(C-3508*	272	25.9	5.2	10	6	8	80.0	219	25.1	4.9	2	0	0
	711	(C-3508*	321	24.9	3.9	21	18	19	90.5	252	26.2	4.5	1	0	0
	769	(C-3508*	311	26.1	4.4	23	19	22	95.7	241	26.5	4.8	3	0	0
	810	(C-3508*	268	27.8	5.1	9	9	9	100.0	243	27.7	5.0	0	0	0
	610	(C-3510*	265	26.3	4.6	4	4	4	100.0	242	26.0	4.5	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Her-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Per- cent	No.	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Bowles, H. T., Kenesaw Poultry Farm, Charlottesville, Va. (Continued)	Dam	Sire mate													
	624	C-3510*	282	24.0	4.5	6	4	66.7	192	27.1	4.4	0	0	0	
	627	C-3510*	265	25.8	4.6	5	4	80.0	213	26.8	4.7	0	0	0	
	704	C-3510*	279	24.8	4.0	5	5	100.0	243	27.2	4.6	0	0	0	
	735	C-3510*	305	24.1	5.9	17	9	76.5	218	25.3	5.0	0	0	0	
	607	C-3518*	295	25.1	4.8	12	11	91.7	251	25.6	4.6	0	0	0	
	670	C-3518*	275	25.4	4.7	7	5	85.7	215	26.0	4.6	1	0	0	
	807	C-3518*	283	25.2	4.6	20	15	80.0	229	25.5	4.5	0	1	0	
	432	C-3542	276	26.5	4.8	6	5	100.0	228	26.3	4.6	1	0	0	
	Champion Poultry Farm, Champion, N. C.	6-2285	M-63	252	25.1	4.5	9	5	77.8	172	28.5	4.6	2	0	0
2-2013		M-230*	276	24.0	4.5	10	7	80.0	208	27.1	4.4	1	0	0	
2-2159		M-230*	277	25.4	4.5	15	9	80.0	204	26.8	4.5	3	0	0	
4-2002		M-1120*	257	27.0	4.1	6	4	83.3	201	26.4	4.5	1	0	0	
4-2055		M-1120*	256	26.5	4.1	8	4	75.0	168	25.3	4.3	2	0	0	
4-2068		M-1120*	258	26.8	4.8	10	5	90.0	196	26.0	4.7	4	0	0	
4-2070		M-1120*	256	28.9	4.5	6	4	83.3	205	27.2	4.7	1	0	0	
4-2084		M-1120*	250	25.0	4.9	8	4	87.5	210	25.1	4.4	1	0	0	
4-2304		M-1120*	258	25.1	4.8	7	4	71.4	181	25.3	4.6	1	0	0	
4-2329		M-1120*	251	28.3	4.4	7	5	100.0	219	26.9	4.4	2	0	0	
3-2004		M-1129*	263	28.6	4.5	8	5	75.0	167	27.5	4.3	1	0	0	
3-2144		M-1129*	261	25.9	5.0	5	4	100.0	227	25.5	4.3	1	0	0	
3-2267		M-1129*	261	26.9	4.5	8	6	75.0	183	26.9	4.5	0	0	0	
3-2286		M-1129*	262	25.5	4.6	8	6	87.5	210	26.5	4.5	1	0	0	
3-2346		M-1129*	261	29.1	5.0	9	7	100.0	214	27.6	4.3	2	0	0	
1-2019		M-1160*	280	25.9	4.0	11	4	54.5	159	26.0	4.4	2	0	0	
1-2078	M-1160*	286	25.7	4.9	11	5	72.7	174	27.4	4.7	2	0	0		
1-2079	M-1160*	292	25.5	4.0	11	7	72.7	189	25.7	4.6	1	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt.	Body wt.
Cochran, Tom, Camden, Mo.	C-424	C-1174	207	—	—	5	4	4	80.0	225	25.9	4.2	1	0	0
	C-331	D-1762	264	—	—	4	4	4	100.0	247	25.8	4.6	0	0	0
	D-317	D-1769	217	—	—	5	4	3	60.0	223	25.1	4.4	0	0	0
Coles, W. B., Airpoint, Va.	50	3540*	267	25.9	4.0	11	6	8	72.7	200	25.0	3.9	1	1	0
	142	3540*	290	26.4	3.9	9	6	6	66.7	222	25.4	4.0	0	0	0
	230	3540*	246	—	—	9	6	7	77.8	208	25.3	4.0	1	0	0
	288	3540*	277	26.7	4.2	12	8	8	66.7	212	25.4	4.3	0	0	0
	289	3540*	301	24.6	4.9	10	5	8	80.0	247	24.6	4.4	1	2	0
	2086	4469	252	24.1	3.6	12	6	7	58.3	165	24.9	3.8	1	1	0
	2110	4469	281	24.0	4.6	9	5	6	66.7	206	25.0	4.6	1	1	0
	132	4476*	281	25.0	3.8	8	4	5	62.5	175	25.6	4.1	0	1	0
	2003	4476*	278	25.6	4.0	6	4	4	66.7	191	28.3	4.3	0	0	0
	2007	4476*	270	27.9	5.2	8	5	6	75.0	191	27.1	5.0	1	0	0
	2155	4476*	227	24.6	3.5	8	6	6	75.0	197	26.9	4.4	0	0	0
	2344	4476*	253	25.2	4.2	14	6	11	78.6	192	27.6	4.7	4	0	1
	32	4503*	274	25.7	3.6	13	7	10	76.9	201	24.9	3.9	1	2	0
	76	4503*	269	26.3	4.6	11	5	7	63.6	181	25.3	4.0	2	0	0
	317	4503*	256	26.4	3.8	11	5	6	54.5	167	24.9	4.0	1	0	0
	2056	4503*	302	25.6	4.1	19	14	15	78.9	218	25.0	4.0	1	0	0
	2084	4503*	297	24.0	3.9	15	7	10	66.7	212	24.8	3.9	0	3	0
	51	4504*	288	—	—	6	5	6	100.0	237	26.4	4.1	1	0	0
	56	4504*	272	25.4	3.8	7	4	4	57.1	199	26.9	4.4	0	0	0
	149	4504*	272	24.2	4.4	8	6	6	75.0	199	25.4	4.1	0	0	0
	2015	4504*	276	24.5	4.2	10	7	7	70.0	223	26.6	4.5	0	0	0
	2028	4504*	277	25.0	4.4	8	5	6	75.0	219	26.0	4.4	1	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. Leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz.) per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.
Coles, W. B., Airpoint, Va. (Continued)	2124	4504*	257	24.3	3.7	7	4	5	71.4	204	26.1	4.2	0	1
	2247	4504*	244	26.4	4.0	4	4	4	100.0	271	27.2	4.0	0	0
Colonial Poultry Farm, Pleasant Hill, Mo.	B-751	D-1736	258	25.3	4.4	6	6	6	100.0	243	24.7	5.0	0	0
Coombs, J. O. and Son, Sedgwick, Kans.	J-1764	18	311	25.9	4.3	17	6	11	64.7	200	25.0	3.9	3	3
	J-630	I-132	275	24.0	3.6	7	4	4	57.1	194	25.7	4.1	0	0
	J-909	I-132	275	24.9	4.3	20	8	10	50.0	149	24.6	4.3	1	0
	I-200	I-136	289	25.7	4.8	26	9	19	73.1	210	23.9	4.1	2	1
	I-585	I-136	286	24.1	4.8	12	5	7	58.3	171	24.4	4.2	3	0
	I-644	I-136	280	24.6	3.7	13	6	9	69.2	172	25.7	3.9	2	0
	J-1018	I-136	256	27.5	4.3	17	9	11	64.7	201	24.8	4.2	0	0
	J-1109	I-136	252	25.2	4.3	12	4	5	41.7	166	24.9	4.0	1	0
	J-1120	I-136	264	25.8	4.0	20	9	16	80.0	201	24.5	4.2	2	1
	J-1145	I-136	254	26.4	4.4	16	7	8	50.0	172	24.8	3.9	0	0
	J-1449	I-137*	258	25.2	4.5	17	7	12	70.6	198	24.5	4.3	0	0
	J-1455	I-137*	281	24.9	4.0	12	4	9	75.0	208	23.4	3.9	1	1
	J-1473	I-137*	264	26.2	3.8	9	6	9	100.0	242	26.0	3.9	2	2
	J-1549	I-137*	277	25.9	4.2	18	9	12	66.7	170	25.5	4.1	2	2
	J-1778	I-150	298	24.2	4.4	27	10	14	51.9	164	25.0	3.9	3	0
	J-1804	I-150	297	24.1	4.6	23	10	11	47.8	182	24.9	4.0	1	0
	J-1939	I-150	288	27.4	5.3	10	4	5	50.0	161	25.3	4.0	1	0
	I-401	I-161*	294	25.5	3.9	11	5	7	63.6	182	25.2	4.2	0	0
	J-737	I-161*	298	24.8	4.1	27	14	15	55.6	202	25.8	4.3	1	0
	J-774	I-163*	303	25.1	4.6	11	6	9	81.8	206	24.7	4.4	1	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Han-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Per- cent			Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.		
Dam	Sire mate															
Coombs, J. O. and Son, Sedgwick, Kans. (Continued)	J-1032	I-161*	267	24.8	3.8	11	5	8	72.7	207	24.6	4.2	1	1	1	1
	J-1173	I-161*	276	27.8	4.9	17	9	11	64.7	213	26.1	4.7	1	1	1	0
	J-1227	I-161*	263	27.7	4.3	12	6	8	66.7	172	26.4	4.6	1	1	1	0
	J-1264	I-161*	274	25.7	4.4	15	8	8	53.3	183	26.3	4.4	0	0	0	0
	J-1289	I-161*	271	25.5	4.3	16	7	10	62.5	174	24.9	4.2	2	3	3	0
	J-816	I-238	295	24.9	4.6	11	5	7	63.6	229	24.6	4.0	0	0	0	1
	J-1189	I-238	264	25.1	4.0	21	7	11	52.4	190	24.4	3.9	0	0	0	1
	J-1207	I-238	258	25.1	4.3	16	6	11	68.8	211	24.1	3.8	4	4	4	1
	9-23	I-238	290	24.5	—	14	6	11	78.6	204	24.5	4.0	1	1	2	2
	J-614	I-504*	254	24.1	3.9	15	7	11	73.3	183	24.8	4.1	2	2	3	1
	J-835	I-504*	289	24.1	4.6	18	8	11	61.1	218	24.5	4.3	1	1	3	0
	J-769	I-504*	278	24.5	4.0	20	7	13	65.0	199	24.9	3.9	1	1	3	4
	9-14	I-504*	273	25.2	—	15	7	9	60.0	183	25.3	4.4	2	1	2	0
	9-20	I-504*	265	25.7	—	13	8	9	69.2	214	26.2	4.5	1	1	2	0
	J-1777	610	277	24.6	4.5	14	5	7	50.0	167	25.1	4.2	1	1	1	1
	J-1386	610	288	24.0	3.8	9	5	6	66.7	222	24.9	4.0	1	1	1	0
	J-1951	610	291	24.7	5.2	12	4	7	58.3	204	23.8	4.1	1	1	3	0
	J-1714	612*	294	24.7	4.6	12	4	9	75.0	197	24.2	4.0	2	2	3	0
	J-1661	613	280	26.5	4.2	12	5	5	41.7	182	26.3	4.3	2	2	2	1
	J-866	I-639	263	25.6	4.1	18	7	12	66.7	192	25.0	3.7	2	2	1	4
	89-8	I-639	315	24.7	—	18	7	13	72.2	208	23.8	4.0	1	1	6	1
	J-1701	4023	244	24.2	4.1	9	4	9	100.0	215	25.1	4.1	3	3	0	1
	J-1748	4023	318	25.2	4.0	11	6	5	45.5	205	26.0	4.7	0	0	1	0
	J-1763	4023	286	25.1	4.1	8	4	4	50.0	194	25.1	4.5	0	0	1	0
	J-1434	4123	266	27.0	3.8	12	4	7	58.3	157	24.6	3.7	2	2	1	1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record				Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -							
		Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.					
																No.	cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)
Coombs, J. O. and Son, Sedgwick, Kans. (Continued)	J-1554	4123	260	25.4	4.9	17	6	10	58.8	210*	24.1	3.6	0	4	0					
	J-1556	4123	256	25.7	5.2	16	8	8	50.0	169	25.5	4.1	0	0	1					
	J-1596	4123	275	26.2	4.9	11	6	8	72.7	210	24.3	4.3	0	2	0					
Creighton Bros., Warsaw, Ind.	B74-7	F-7023	295	25.0	—	10	4	5	50.0	160	24.6	4.9	0	1	0					
	B76-9	F-3960	298	25.7	—	17	8	11	64.7	165	25.5	5.0	3	0	0					
	F45-6	F-6007*	270	26.2	4.8	7	6	6	85.7	213	26.7	5.2	0	0	0					
	F45-9	F-6210*	255	24.9	4.6	11	4	6	54.5	119	25.7	5.2	2	0	0					
	F45-9	(F-7597) (F-7672)	294	25.0	4.3	6	4	4	66.7	165	25.3	4.6	0	0	0					
	F46-3	F-6938*	251	24.8	4.5	11	8	9	81.8	230	27.7	4.7	1	0	0					
	F46-9	F-6938*	261	25.2	4.3	6	4	5	83.3	221	27.7	4.7	1	0	0					
	J-9327	F-7665*	262	24.8	4.4	7	4	4	57.1	180	26.4	4.5	0	0	0					
	J-9607	F-2654	297	24.3	4.2	16	6	7	43.8	128	25.3	4.5	1	0	0					
	J-9621	F-668*	266	26.0	4.5	7	6	6	85.7	212	25.9	4.7	0	0	0					
	J-9657	F-668*	265	25.8	4.2	11	5	5	45.5	124	26.2	4.8	0	0	0					
	K-80	F-7521*	216	24.7	5.1	8	4	5	62.5	195	24.9	4.8	1	0	0					
	K-341	(F-3792) (F-7847*)	264	26.5	5.8	9	6	6	66.7	200	25.9	5.1	0	0	0					
	K-917	F-6129	232	26.8	5.3	9	4	5	55.6	146	25.1	4.8	1	0	0					
	K-979	F-6093*	250	25.5	4.7	10	4	5	50.0	167	24.8	4.4	0	1	0					
K-1031	F-7521*	223	25.5	4.1	10	7	7	70.0	208	25.3	4.5	0	1	0						
K-1125	F-3823	219	25.0	5.0	12	6	8	66.7	211	25.5	4.6	1	1	0						
K-1158	F-6093*	267	25.5	4.3	16	11	13	81.3	235	25.2	4.5	1	1	0						
K-1190	F-1091	275	24.8	5.5	5	4	5	100.0	263	25.4	4.7	1	0	0						
K-1252	F-6850	201	26.3	5.3	4	4	4	100.0	251	25.3	5.2	0	0	0						

1. For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -			Dam's first- year record			Entered (no.)	Omitted (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -				
				Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)					Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)					
	Dam	Sire mate	No.						Per- cent	Egg prod. (no.)				Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Creighton Bros., Warsaw, Ind. (Continued)	K-1422	F-6210*	269	24.5	4.2	11	5	7	63.6	160	26.4	4.6	2	0	0	0	0	
	K-1590	(F-1091 F-2628*)	301	26.2	4.6	8	5	5	62.5	178	25.5	4.9	0	0	0	0	0	
	K-1720	F-6696*	279	24.1	4.6	8	4	5	62.5	194	25.7	4.2	1	0	0	0	0	
	K-1724	F-6696*	290	24.6	4.8	7	5	5	71.4	237	27.1	4.7	0	0	0	0	0	
	K-1937	(F-6552 F-7020)	255	26.8	5.5	6	4	4	66.7	194	26.0	4.7	0	0	0	0	0	
	K-2002	F-7665*	257	24.8	4.1	7	4	4	57.1	157	25.1	4.6	0	0	0	0	0	
	K-2062	F-7023	275	24.9	4.5	13	5	6	46.2	156	26.2	4.8	1	0	0	0	0	
	L-7813	F-7847*	258	25.1	5.0	9	5	6	66.7	196	26.8	4.4	2	0	0	0	0	
	L-7861	F-6273*	256	24.7	5.0	9	4	6	66.7	190	24.0	4.3	1	1	2	0	0	
	L-8038	F-3960	253	28.2	5.4	4	4	4	100.0	245	25.3	4.5	0	0	0	0	0	
	L-8051	F-6273*	300	24.8	4.5	12	5	5	41.7	155	25.4	4.5	0	0	0	0	0	
	L-8053	F-6696*	259	27.4	4.6	7	5	5	71.4	195	26.5	4.4	0	0	0	0	0	
	L-8154	F-6696*	272	25.6	4.6	8	4	2	25.0	175	26.9	4.5	0	0	0	0	0	
	L-8175	F-2628*	261	24.3	4.6	11	7	7	63.6	192	25.2	4.6	0	0	0	0	0	
	L-8227	F-7521*	224	27.6	5.1	5	4	2	40.0	201	26.6	4.9	0	0	0	0	0	
	L-8270	F-6007*	268	25.2	5.1	12	5	7	58.3	141	25.1	4.7	2	0	0	0	0	
	L-8328	F-6696*	276	26.9	4.9	12	5	6	50.0	137	26.3	4.8	1	1	0	0	0	
	L-8329	F-7817	256	24.1	4.1	9	4	6	66.7	215	24.9	4.5	1	1	0	0	0	
	L-8543	F-3715*	230	25.7	4.5	5	4	5	100.0	253	26.2	4.6	1	0	0	0	0	
	L-8749	F-6850	211	24.5	4.6	5	4	4	80.0	210	25.5	5.0	0	0	0	0	0	
	L-8780	F-7665*	254	25.2	4.6	11	4	6	54.5	156	24.0	4.4	1	1	0	0	0	
	L-8891	(F-3705 F-3686)	289	25.1	5.3	13	5	6	46.2	106	26.4	5.5	1	0	0	0	0	0
	L-8945	F-7665*	258	24.2	4.4	12	9	10	83.3	225	25.6	4.4	0	1	0	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	Daughters										No. completing year but failing to qualify because of low -				
	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance							
	U.S.R.O.P. leg band number of -		Egg prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			
	Dam.	Sire mate													
Creighton Bros., Warsaw, Ind. (Continued)	L-9024	F-7022 (F-235)	212	25.9	4.1	6	4	5	83.3	194	26.1	4.2	1	0	1
	L-9059	(F-7597)	285	27.7	5.4	7	4	5	71.4	195	26.7	5.2	1	0	0
	L-9117	(F-7672)	271	25.6	4.1	14	8	9	64.3	194	26.3	4.8	1	0	0
	L-9166	F-3929*	234	27.0	6.8	7	5	5	71.4	215	26.2	5.0	1	0	0
	L-9214	F-3929*	249	24.5	5.0	8	5	6	75.0	213	25.0	4.6	1	1	0
	L-9408	F-7789	220	25.0	4.6	7	4	3	42.9	155	25.4	4.6	0	0	0
	L-9412	F-658*	263	25.8	4.8	11	7	8	72.7	202	25.3	4.7	1	0	0
	L-9445	F-6210*	250	25.5	5.5	12	5	7	58.3	152	26.3	4.9	2	0	0
	L-9524	F-668*	256	25.0	4.9	10	4	5	50.0	171	24.8	4.8	0	1	0
	L-9685	F-6210*	256	25.3	4.5	7	5	6	85.7	211	26.1	4.4	1	0	0
	R34-13	F-3715 *	237	24.8	—	11	5	7	63.6	164	25.3	4.2	2	0	0
	T15-7	F-3978	273	25.0	—	8	4	5	62.5	152	25.6	4.8	1	0	0
	M8-13	F-6938 *	257	25.7	4.3	7	4	6	85.7	177	26.5	4.6	2	0	0
	Deavenport, J. A., Boulder, Colo.	55287	54278	242	26.3	4.9	9	4	5	55.6	145	24.9	4.7	1	0
55093		54289	207	25.0	3.8	17	7	8	47.1	170	24.2	4.0	1	0	0
55223		54289	248	24.3	4.5	12	5	6	50.0	144	25.1	4.3	0	1	0
55267		54289	252	26.0	4.3	9	4	5	55.6	195	24.6	4.5	0	1	0
35024		54318	250	25.3	4.0	12	4	8	66.7	146	25.1	4.3	1	3	0
55367		54360	264	24.2	4.1	5	5	5	100.0	241	25.9	4.1	0	0	0
	52	54383	223	25.8	4.0	11	4	6	54.5	133	26.0	4.1	2	0	0
	55466	54383	254	24.4	4.4	12	4	5	41.7	113	24.9	4.3	1	0	0
	55310	44716	232	24.0	4.0	12	4	4	33.3	123	24.6	4.0	0	0	0
	55494	44716	221	26.6	4.2	9	5	5	55.6	166	25.3	4.0	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
		Dam	Sire rate	Egg prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent.	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.
Dembro Poultry Farm, Sewell, N. J.	I-595	C-52	251	26.5	4.3	6	4	66.7	—	—	—	0	0	0	
	I-600	C-52	255	25.5	4.4	10	8	80.0	—	—	—	0	0	0	
	I-565	C-61*	212	26.0	3.8	10	6	60.0	—	—	—	0	0	0	
	I-568	C-61*	263	26.7	4.3	6	4	66.7	—	—	—	0	0	0	
	I-655	C-63	219	25.2	4.0	8	4	50.0	—	—	—	0	0	0	
	I-637	C-203*	219	26.4	4.2	6	4	83.3	—	—	—	0	0	0	
	I-639	C-203*	270	25.3	4.7	8	5	62.5	—	—	—	1	0	0	
	I-643	C-203*	222	27.3	5.5	7	5	71.4	—	—	—	0	0	0	
	I-646	C-203*	235	26.8	4.3	14	7	50.0	—	—	—	0	0	0	
	I-648	C-203*	237	25.0	4.7	7	5	71.4	—	—	—	0	0	0	
	I-585	C-208	260	26.0	4.3	15	6	66.7	—	—	—	2	0	0	
	I-538	C-366	261	25.8	4.5	4	4	100.0	—	—	—	0	0	0	
	I-527	J-9190	235	25.7	5.1	8	4	50.0	—	—	—	0	0	0	
	I-528	J-9190	276	26.0	5.0	7	4	57.1	—	—	—	0	0	0	
	I-530	J-9190	286	24.7	4.8	8	5	62.5	—	—	—	0	0	0	
	Dennis, F. A., Mansfield, Mo. Densmore Poultry Farm, Roanoke, Va.	C-1015	D-1201	232	25.2	4.1	7	5	85.7	209	25.2	4.3	0	1	0
		C-1036	D-1391	275	24.8	4.6	7	4	42.9	194	25.0	3.9	0	0	0
4048		C-2137	274	24.9	4.5	7	7	100.0	180	25.2	4.2	3	0	0	
2262		C-2180	247	24.9	4.6	5	4	80.0	198	24.8	4.2	0	0	0	
4093		C-2180	255	25.5	4.1	10	8	80.0	165	26.2	4.5	3	0	0	
3979		C-4294	231	28.3	4.8	8	5	62.5	155	25.8	4.4	1	0	0	
4056		C-4294	239	24.4	4.2	12	7	58.3	167	25.5	4.3	0	1	0	
4061		C-4308	236	25.1	4.8	14	10	71.4	183	25.6	4.3	3	1	0	
4106		C-4308	240	24.2	4.4	12	5	41.7	129	26.7	4.1	1	0	0	
4013		C-4329	239	25.0	4.6	12	8	66.7	177	25.2	4.6	2	3	0	
	4017	C-4329	234	25.5	4.7	8	7	87.5	188	25.9	4.4	3	1	0	

L/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
		Dam	Sire mate												
Densmore Poultry Farm, Roanoke, Va. (Continued)	4128	C-4329	234	27.0	4.4	9	4	6	66.7	172	25.2	4.4	2	0	0
	4150	C-4329	231	24.9	4.4	15	5	8	53.3	153	25.9	4.6	2	1	0
	J-3252	977	303	26.1	4.1	6	5	6	100.0	231	25.3	4.4	1	0	0
	J-3131	1111	273	27.5	3.8	5	5	5	100.0	248	26.6	3.9	0	0	0
	J-3379	1115	283	25.1	3.8	9	6	9	100.0	240	24.7	4.1	2	1	0
	I-2938	1128	264	26.2	4.3	4	4	3	75.0	279	35.6	4.7	0	0	0
	J-3120	1156*	255	25.4	4.4	6	4	6	100.0	190	25.1	4.1	2	0	0
	J-3258	1156*	252	25.6	4.7	10	8	9	90.0	231	25.1	4.1	0	1	0
	J-3446	1156*	251	24.2	4.0	7	5	7	100.0	231	26.0	4.2	2	0	0
	J-3225	1158*	275	24.3	3.9	10	8	10	100.0	287	25.0	4.4	0	2	0
Dickey, P. S., Puyallup, Wash.	J-3206	1128	253	25.1	3.9	7	6	7	100.0	275	25.4	4.3	0	1	0
	J-3339	1158*	268	25.2	3.9	13	7	9	69.2	213	24.8	4.0	1	1	0
	J-3278	2710	280	25.1	3.9	7	4	6	85.7	195	24.1	4.3	1	1	0
	I-2963	2724*	279	25.5	4.3	5	5	5	100.0	297	25.4	4.0	0	0	0
	I-2985	2724*	294	24.3	4.1	11	10	11	100.0	270	25.2	4.0	0	1	0
	J-3106	2724*	282	27.1	4.6	10	8	9	90.0	243	25.5	4.0	1	0	0
	J-3189	2724*	285	26.4	4.2	6	5	6	100.0	274	25.8	4.0	0	0	1
	J-3259	2724*	292	24.7	4.7	10	7	8	80.0	230	25.0	4.4	0	1	0
	J-3266	2724*	290	24.5	4.9	8	6	8	100.0	254	24.8	4.1	0	2	0
	I-2863	2735*	294	24.9	4.7	6	4	5	83.3	221	25.3	4.6	0	1	0
Dixie Poultry Yards, Chapman, Ala.	J-3409	2735*	311	24.3	3.9	9	6	7	77.8	199	26.4	3.8	1	0	0
	B-7	17032	270	25.5	4.3	6	4	4	66.7	183	25.0	4.0	0	0	0
Egg & Apple Farm, Trumansburg, N. Y.	I-989	K-22576*	242	25.2	4.1	14	5	7	50.0	161	25.1	3.8	0	1	2
	J-6189	K-22576*	275	27.6	4.1	7	4	5	71.4	222	24.2	3.8	0	1	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record				No. hatched (no.)	No. failed (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
		Dam.	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Egg & Apple Farm, Trumansburg, N. Y. (Continued)	J-6638	K-22576*	289	25.2	4.7	19	10	63.2	189	25.0	4.2	1	1	0		
	I-1184	K-22590*	273	27.6	3.9	12	7	83.3	209	25.1	4.3	1	2	0		
	J-6055	K-22590*	270	27.6	4.2	8	4	62.5	210	25.3	4.4	1	0	1		
	J-6184	K-22590*	263	27.0	3.8	7	4	71.4	215	23.8	4.2	0	2	1		
	I-17	K-23522	206	25.2	4.7	15	9	60.0	171	25.8	4.6	0	0	0		
	J-6033	K-23574*	216	26.4	4.4	10	4	70.0	208	25.5	4.0	1	1	0		
	J-6169	K-23574*	307	25.2	4.0	11	4	84.5	171	24.6	4.0	0	1	2		
	J-6030	J-25885	209	24.0	4.2	8	5	87.5	201	26.0	4.1	0	1	1		
Empire Hatchery and H. I. Weller, Columbus Grove, Ohio	C-2	G-3000*	280	25.1	4.3	8	4	75.0	170	26.0	4.4	3	0	0		
	C-13	G-3000*	273	25.9	5.6	10	8	80.0	209	25.6	5.1	0	0	0		
	C-45	G-3000*	303	27.8	5.3	6	4	100.0	245	25.4	4.6	0	1	0		
	C-67	G-3000*	258	24.7	4.6	11	4	63.6	177	25.3	4.5	4	0	0		
	C-73	G-3000*	210	28.4	5.9	8	4	75.0	200	25.8	4.6	1	1	0		
	C-10	G-3001*	253	26.9	5.1	9	4	66.7	174	27.1	5.1	3	0	0		
	C-16	G-3001*	273	24.2	4.0	15	7	73.3	198	25.8	5.0	1	2	0		
	C-70	G-3001*	271	24.7	4.4	12	4	58.3	144	25.8	4.3	3	0	0		
	C-90	G-3001*	276	25.8	4.6	14	7	50.0	190	26.9	4.9	3	0	0		
	G-166	G-3001*	253	24.2	4.6	17	6	70.6	182	25.7	4.7	3	3	0		
	F-158	G-3002	250	25.1	5.1	9	5	55.6	172	26.1	4.8	1	0	0		
	F-152	G-3003	227	24.6	4.5	10	4	60.0	152	25.8	4.7	2	0	0		
	C-47	G-3003	207	26.0	4.4	5	4	80.0	204	27.4	4.8	0	0	0		
	C-30	M-1008*	248	27.7	5.6	7	4	71.4	210	27.5	5.1	1	0	0		
	C-53	M-1008*	264	26.8	6.4	6	4	66.7	199	26.8	5.4	0	0	0		
	G-113	M-1008*	251	25.5	5.4	9	5	55.6	207	26.7	4.8	1	0	0		
G-161	M-1008*	274	26.0	5.7	13	6	38.5	151	25.0	5.0	0	0	0			
G-170	M-1008*	256	26.1	5.5	16	8	50.0	192	26.4	5.1	0	0	0			

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Daughters

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
		Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	Per- cent	No.	Egg2/ prod. (no.)	Egg wt. (oz. doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Casson's Poultry Farm, Versailles, Ohio	F-919	G-799*	273	24.9	4.9	6	4	5	83.3	211	25.0	4.8	0	1	0
	G-1106	G-799*	272	25.1	4.1	12	4	8	66.7	178	24.2	4.7	0	2	0
	G-1255	G-799*	273	24.5	4.3	10	4	9	90.0	246	24.2	5.0	0	1	0
	F-246	G-816*	270	25.7	4.6	10	7	9	90.0	238	24.4	4.6	0	1	0
	F-700	G-816*	270	24.3	4.1	11	6	10	90.9	237	24.1	4.8	0	1	0
	G-67	G-816*	270	26.2	4.6	6	5	5	83.3	270	25.0	4.7	0	0	0
	G-499	G-816*	270	25.9	5.1	11	7	7	63.6	235	24.9	5.0	0	0	0
	G-838	G-816*	271	24.3	5.1	9	4	6	66.7	192	24.0	4.8	0	1	0
	G-1136	G-816*	270	24.0	4.7	10	6	8	80.0	239	24.5	4.7	0	0	0
	E-381	G-863*	275	26.0	5.2	10	4	5	50.0	214	25.0	4.2	0	1	0
	F-1310	G-863*	274	25.7	5.4	7	5	6	85.7	226	25.0	5.2	0	0	0
	G-557	G-863*	274	27.5	5.4	7	5	6	85.7	219	24.7	4.9	0	1	0
	F-685	G-867*	276	24.5	4.9	6	5	6	100.0	249	25.5	5.4	0	0	0
	F-1009	G-867*	276	24.3	4.8	8	5	4	50.0	210	25.2	5.2	0	0	0
	G-250	G-867*	276	25.7	5.1	6	5	5	83.3	222	26.1	5.4	0	0	0
	G-393	G-867*	275	26.4	5.3	4	4	3	75.0	230	26.9	5.0	0	0	0
	G-1045	G-867*	276	24.7	4.0	10	6	7	70.0	229	25.8	5.0	0	1	0
	F-1303	G-888*	289	24.9	4.9	9	7	9	100.0	233	25.1	5.3	0	1	0
	G-25	G-888*	292	24.9	5.2	9	5	6	66.7	200	25.1	5.3	0	1	0
	G-640	G-888*	292	24.7	5.4	7	4	7	100.0	225	24.5	5.1	0	2	0
	G-1009	G-888*	293	24.7	4.9	5	4	4	80.0	234	25.2	5.6	0	1	0
	G-1140	G-888*	290	24.7	4.1	11	6	9	81.8	217	25.8	4.8	0	2	0
	D-940	G-926*	286	25.9	—	7	4	5	71.4	209	26.2	5.2	0	0	0
	F-935	G-926*	302	24.9	4.8	11	7	9	81.8	232	25.0	5.4	0	0	0
	F-1032	G-926*	291	25.7	4.6	9	6	6	66.7	209	25.6	4.8	0	0	0
	G-44	G-926*	291	25.6	5.5	16	6	9	56.3	168	26.3	5.4	0	3	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -	
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.
Gasson's Poultry Farm, Versailles, Ohio (Continued)	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)							
	G-495	G-9226*	286	25.9	4.9	7	4	57.1	185	26.9	5.1	0	0	0
	G-721	G-9226*	291	25.8	5.4	6	4	66.7	197	26.0	5.1	1	0	0
	G-1093	G-9226*	295	25.4	4.5	5	5	100.0	259	25.8	5.1	0	0	0
	G-501	G-937*	266	24.5	4.5	5	4	80.0	242	25.2	4.8	1	0	0
	F-840	G-940*	271	25.0	4.7	8	6	100.0	273	24.8	5.1	0	2	0
	F-1004	G-940*	272	26.5	4.9	8	6	75.0	200	26.2	5.3	0	0	0
	F-962	G-963*	279	24.9	4.2	11	9	81.8	215	24.2	4.8	1	3	0
	G-275	G-963*	279	27.2	4.9	12	6	50.0	171	26.0	4.9	1	0	0
	G-237	G-998*	286	24.5	4.8	9	7	77.8	237	24.8	4.8	0	2	0
	G-1074	G-998*	285	24.6	4.8	9	6	66.7	220	24.3	4.8	0	1	0
	G-1116	G-998*	293	24.5	5.4	7	5	71.4	196	25.7	5.3	1	0	0
	E-851	G-1039*	267	25.6	4.4	7	6	85.7	250	22.4	4.2	1	0	0
	F-143	G-1039*	267	28.7	5.1	6	6	100.0	242	27.7	5.1	1	0	0
	F-207	G-1039*	267	24.4	5.3	6	5	83.3	214	25.7	5.0	1	0	0
	F-806	G-1039*	267	26.0	5.0	7	5	71.4	227	26.2	5.0	0	0	0
	G-409	G-1039*	267	25.0	4.9	4	4	100.0	264	25.0	4.7	0	0	0
	G-572	G-1039*	267	25.8	4.8	11	9	81.8	174	26.0	5.1	3	1	0
	G-613	G-1039*	267	25.4	5.0	5	5	100.0	262	25.4	4.8	0	0	0
	D-1189	G-1100*	294	24.2	—	6	6	100.0	251	25.7	5.0	0	0	0
	D-1449	G-1100*	295	24.0	—	6	8	88.9	222	26.4	4.8	1	0	0
	E-328	G-1100*	292	24.1	4.8	6	6	100.0	240	25.5	5.2	0	0	0
	F-265	G-1100*	285	24.5	3.9	7	6	85.7	214	25.3	5.2	1	0	0
	F-332	G-1100*	306	24.1	4.5	7	5	71.4	242	25.5	5.2	0	0	0
	G-549	G-1100*	292	24.2	4.4	7	6	85.7	206	25.0	4.7	2	0	0
	G-592	G-1100*	297	24.0	4.6	9	6	66.7	187	25.6	4.7	1	0	0
G-1399	G-1100*	303	24.1	4.6	8	7	87.5	230	25.2	5.1	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Produced (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -				
		Dam	Sire mate	Egg prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Casson's Poultry Farm, Versailles, Ohio (Continued)	C-987	G-1114*	291	26.5	—	6	4	66.7	191	26.2	5.0	0	0	0	0	
	F-933	G-1114*	301	25.4	4.6	12	10	83.3	245	25.4	4.6	0	0	0	0	
	G-51	(G-1232* G-1114*)	280	24.0	4.7	11	5	90.9	233	23.9	5.4	2	3	0	0	
	G-63	G-1114*	294	26.0	4.9	12	10	83.3	239	26.2	4.8	0	0	0	0	
	G-553	G-1114*	293	26.4	4.6	11	9	90.9	271	25.6	4.6	0	0	0	0	
	G-611	G-1114*	291	27.3	5.7	7	5	71.4	212	25.7	5.1	0	0	0	0	
	G-957	G-1114*	290	26.0	4.5	7	4	57.1	218	25.0	4.5	0	0	0	0	
	G-1326	G-1114*	283	26.1	5.3	6	5	100.0	263	26.7	5.2	0	0	0	0	
	F-5	G-1206*	278	25.3	4.7	5	5	100.0	272	25.4	4.7	0	0	0	0	
	G-528	G-1206*	278	26.2	4.7	9	7	77.8	238	24.9	4.8	0	1	0	0	
	G-568	G-1206*	278	24.3	4.0	11	5	81.8	228	24.1	4.5	0	4	0	0	
	G-635	G-1206*	278	24.1	4.7	7	6	85.7	245	24.9	4.7	0	0	0	0	
	E-1466	G-1229*	269	24.5	4.9	6	4	66.7	214	25.1	4.7	0	0	0	0	
	G-454	G-1229*	269	27.8	5.0	11	8	54.5	209	26.8	4.9	0	0	0	0	
	G-545	G-1229*	268	27.7	5.6	6	4	83.3	190	26.9	5.1	0	0	0	0	
	G-588	G-1229*	268	24.3	4.3	11	4	36.4	154	26.6	5.0	0	0	0	0	
	G-629	G-1229*	268	24.5	5.2	8	6	75.0	231	25.3	5.0	0	0	0	0	
	G-665	G-1229*	268	26.1	4.7	9	8	88.9	237	25.1	4.8	0	1	0	0	
	F-615	G-1232*	282	25.8	5.1	8	6	100.0	235	25.3	5.7	0	1	0	0	
	G-561	G-1232	280	28.7	5.1	8	8	100.0	261	25.8	5.4	0	1	0	0	
	G-1190	G-1232*	282	25.8	4.4	11	9	72.7	241	25.2	4.8	0	1	0	0	
	B-1320	G-1890*	265	25.5	—	9	5	66.7	191	25.8	4.5	0	1	0	0	
	E-25	G-1890*	265	24.0	4.9	7	4	57.1	224	24.9	4.8	0	1	0	0	
	F-439	G-1890*	265	24.1	4.3	9	5	55.6	197	24.1	4.8	0	0	0	0	
	F-768	G-1890*	265	25.3	5.5	5	4	80.0	245	26.0	5.0	0	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -			Dam's first- year record			Entered (no.)	Qualified	Completing year		Average performance			No. completing year but failing to qualify because of low -		
				Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg wt. (oz. per doz.)	Body wt. (lbs.)				
	Dam.	Sire mate											Egg 2/ prod. (no.)			Egg prod.
Casson's Poultry Farm, Versailles, Ohio (Continued)	G-751	G-1890*	265	25.0	4.9	8	5	6	75.0	217	25.5	4.7	1	1	0	
	G-811	G-1890*	265	27.3	4.4	11	7	11	100.0	226	26.0	4.8	4	0	0	
	G-873	G-1890*	265	26.5	4.5	6	5	6	100.0	266	26.5	4.8	1	0	0	
	G-1096	G-1890*	265	24.9	5.1	11	7	8	72.7	199	25.8	5.0	1	0	0	
	E-170	G-1951*	285	25.3	4.9	4	4	4	100.0	252	25.1	5.3	0	0	0	
	F-111	G-1951*	298	25.2	4.6	8	6	8	100.0	254	25.0	4.9	0	1	0	
	F-320	G-1951*	289	24.9	5.0	10	6	8	80.0	215	24.5	4.9	1	1	0	
	F-1060	G-1951*	304	24.7	4.6	9	4	5	55.6	197	24.5	4.9	0	1	0	
	G-424	G-1951*	312	24.9	4.5	14	10	11	78.6	209	25.2	4.8	2	0	0	
	G-1242	G-1951*	314	24.5	4.5	12	8	12	100.0	248	24.2	4.8	0	4	0	
Gauss, C. B., Holcomb, N. Y.	J-3860	L-12994*	251	26.4	4.8	20	9	17	85.0	178	27.1	4.5	6	0	1	
	J-3947	L-12994*	287	25.2	4.5	9	4	6	66.7	202	24.6	4.3	0	2	1	
	J-3959	L-12994*	249	25.2	4.9	13	7	12	92.3	212	26.3	4.4	4	0	1	
	J-3983	L-12994*	266	26.4	5.0	11	6	8	72.7	176	26.4	4.5	1	0	0	
	J-4080	L-12994*	289	25.2	4.3	10	6	8	80.0	213	25.7	4.4	2	1	1	
	J-4139	L-12994*	266	25.2	4.4	8	4	6	75.0	176	25.6	4.4	1	0	1	
Goetzeluck, Oscar, St. Marys, W. Va.	B-516	B-1350*	253	25.8	3.7	6	4	6	100.0	218	25.3	4.3	2	1	0	
	C-460	B-1350*	262	26.1	3.8	4	4	4	100.0	236	26.4	4.4	0	0	0	
	C-435	B-1358	236	26.2	4.3	7	4	5	71.4	180	25.4	4.0	1	0	1	
	L-8326	J-1230	275	25.1	4.7	8	4	7	87.5	195	24.5	4.1	2	1	0	
Hamilton Poultry Farm, Hamilton, Mich.	L-8327	J-1230	237	27.3	5.0	8	5	6	75.0	166	25.8	4.3	1	0	0	
	L-4579	J-1237	200	27.5	4.6	9	4	7	77.8	145	26.8	4.1	3	0	0	
	L-4581	J-1306	201	27.4	5.0	11	7	9	81.8	175	26.6	4.8	2	0	0	
	L-8368	(J-1306) (J-2618) (J-2626)	268	24.5	4.4	10	5	8	80.0	200	25.3	3.9	0	2	1	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
Hamilton Poultry Farm, Hamilton, Mich. (Continued)	Dam	Sire mate												
	L-8285	J-1365	231	25.6	4.5	18	10	88.9	187	25.5	4.4	6	2	0
	L-8355	L-1382	238	24.4	4.8	9	4	55.6	123	25.4	4.4	1	0	0
	L-8356	L-1382	227	26.7	4.8	7	5	71.4	172	27.2	4.8	0	0	0
Hansen's Leghorn City, Puyallup, Wash.	L-8292	J-2656	271	24.1	4.6	6	4	83.3	185	25.6	4.4	1	0	0
	J-4925	8-2031*	288	24.5	5.1	10	8	90.0	239	25.2	4.5	0	1	0
	J-4950	8-2031*	280	27.1	4.4	6	5	100.0	230	27.4	4.4	1	0	0
	J-4981	8-2031*	310	24.4	4.1	7	5	85.7	261	25.3	4.2	0	1	0
	J-5010	8-2031*	291	24.3	3.9	6	5	66.7	269	24.7	4.1	0	0	0
	J-5190	8-2031*	303	24.8	4.7	10	8	80.0	262	26.1	4.5	0	0	0
	J-5153	8-2133	257	25.3	4.6	7	5	85.7	227	27.1	4.6	1	0	0
	I-4621	8-2138*	280	27.5	4.3	8	7	87.5	262	28.3	4.5	1	0	0
	J-4910	8-2138*	303	24.4	4.3	12	11	100.0	248	26.4	4.5	1	0	0
	J-4936	8-2138*	273	26.2	4.1	7	5	71.4	208	28.4	4.4	0	0	0
	J-4991	8-2138*	300	25.4	5.0	7	6	85.7	226	27.8	5.0	0	0	0
	J-5070	8-2138*	305	26.0	4.3	10	6	60.0	234	26.7	4.3	0	0	0
	J-5155	8-2204	320	24.8	4.7	9	5	66.7	227	25.2	4.3	0	2	0
	J-5182	8-2217*	301	24.5	4.3	13	10	76.9	232	25.5	4.2	0	0	0
	H-4375	8-2252*	265	25.7	4.2	5	5	100.0	267	27.5	4.2	0	0	0
J-4918	8-2252*	294	24.6	4.7	9	5	55.6	176	27.0	4.3	0	0	0	
J-4940	8-2256*	318	26.8	4.9	10	8	80.0	237	26.7	4.4	0	0	0	
J-5008	8-2256*	312	24.2	4.1	7	4	71.4	200	24.3	4.0	0	1	0	
J-5061	8-2256*	304	24.2	4.3	9	7	77.8	242	25.8	4.2	0	0	0	
J-5095	8-2256*	296	25.7	4.3	5	4	80.0	239	25.1	4.1	0	0	0	
J-5141	8-2256*	304	26.4	4.2	8	5	62.5	225	26.3	4.2	0	1	0	
J-5145	8-2256*	287	25.4	3.8	6	4	100.0	282	25.7	4.1	0	0	0	
J-5064	8-2269*	280	24.3	4.9	6	6	100.0	279	26.7	4.5	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)		
Hansen's Leghorn City, Puyallup, Wash. (Continued)	J-4908	8-2289	252	25.7	4.2	4	4	3	75.0	250	26.4	4.2	0	0
	J-5053	8-2289	257	24.9	4.4	5	4	4	80.0	221	28.1	4.7	0	0
	6-1	8M1216*	267	25.7	5.5	10	4	10	100.0	230	26.8	5.3	4	1
	6-8	8M1216*	310	25.4	5.5	18	9	14	77.8	205	25.8	5.5	4	0
	6-11	8M1216*	316	25.4	4.6	9	6	8	88.9	238	25.2	4.8	0	1
	4-12	8M1654*	311	24.0	5.0	9	6	9	100.0	232	26.1	4.8	3	0
	6-21	7M709*	313	24.9	4.9	5	4	4	80.0	227	26.1	4.6	1	0
	6-24	6M753*	333	24.7	5.2	12	7	9	75.0	251	24.9	4.8	0	2
	6-60	8M1216*	302	27.7	5.0	5	4	4	80.0	263	26.9	5.1	0	0
	6-65	8M1654*	307	27.2	5.6	11	7	10	90.9	209	26.3	4.7	0	0
Hanson, J. A., Corvallis, Oreg.	6-69	7M709*	304	25.6	5.6	7	5	6	85.7	279	25.1	4.6	1	1
	6-87	8M1663*	315	27.2	5.9	6	4	5	83.3	220	26.9	5.4	1	0
	6-99	8M1636	316	26.7	5.4	6	5	6	100.0	255	26.9	5.6	1	0
	7-131	8M1110*	302	26.3	4.9	9	5	8	88.9	227	26.0	4.8	1	0
	6-138	8M1663*	312	24.7	4.9	5	4	5	100.0	286	25.7	5.0	0	1
	7-144	7M997*	313	26.2	5.4	4	4	4	100.0	274	26.3	5.1	0	0
	7-165	7M997*	317	28.8	5.8	9	7	9	100.0	225	26.6	5.1	1	0
	7-172	8M1097*	327	25.6	4.4	4	4	4	100.0	256	24.8	4.9	0	0
	7-183	8M1097*	305	24.6	5.1	8	4	7	87.5	213	25.0	4.9	1	0
	5-246	8M1654*	308	24.1	4.8	6	5	5	83.3	255	26.6	4.9	0	0
	7-290	8M1240*	308	25.2	5.2	5	4	5	100.0	283	24.8	4.5	0	1
	4-338	8M1662*	311	24.4	—	8	7	8	100.0	274	26.8	5.3	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dem's first- year record				Entered (no.)	Qualified		Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)		Body wt. (lbs.)	(no.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Hanson, J. A., Corvallis, Oreg. (Continued)	6-361	(8M1110* (8M1681	303	25.4	4.7	4	4	3	75.0	282	25.3	4.7	0	0	0		
	6-365	(8M1636 (8M1110*	304	27.2	5.8	13	8	9	69.2	208	27.1	5.4	2	0	0		
	7-366	(8M1656 (8M163*	316	25.9	5.3	8	7	7	87.5	267	25.9	5.5	1	0	0		
	7-369	7M997*	315	25.3	5.1	5	4	5	100.0	275	25.2	4.7	0	1	0		
	7-400	7M997*	302	27.2	5.4	10	4	9	90.0	186	25.7	4.7	4	1	0		
	7-422	8M1621*	312	24.3	4.6	10	6	8	80.0	233	25.5	4.7	1	1	0		
	6-454	6M753*	301	24.9	3.8	16	9	13	81.3	234	24.7	4.9	2	3	0		
	7-455	8M1097*	317	24.5	4.1	13	8	11	84.6	251	24.9	4.8	0	2	0		
	7-475	8M1621* (7M815	306	24.0	4.3	11	5	9	81.8	244	24.7	4.4	1	2	0		
	6-493	(8M1110* (8M1636	321	29.0	5.2	15	14	15	100.0	260	28.7	5.4	1	0	0		
	7-498	8M1087*	312	24.4	4.4	9	4	6	66.7	195	25.8	4.7	2	0	0		
	6-515	8M1110*	313	27.0	5.0	7	6	6	85.7	242	27.2	5.0	0	0	0		
	6-519	7M709*	301	27.5	4.3	10	8	9	90.0	272	26.8	4.7	1	0	0		
	6-559	(8M1448* (8M1676*	302	26.7	4.3	8	5	8	100.0	253	24.6	4.4	1	3	0		
	7-565	8M1087*	315	25.6	5.2	9	7	7	77.8	242	26.2	4.8	0	0	0		
	7-581	8M1621*	304	27.1	5.3	6	4	6	100.0	260	25.6	5.1	1	1	0		
	7-586	8M1087*	304	24.8	4.7	6	5	5	83.3	235	25.2	4.8	0	0	0		
	4-587	(8M1525 (8M1678 (8M1621*	327	24.0	5.5	17	9	14	82.4	253	24.4	4.8	0	3	0		
	7-588	8M1621*	302	27.7	4.9	10	7	10	100.0	258	26.1	4.9	2	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record				Entered (no.)	Omitted (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.			Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	
Hanson, J. A., Corvallis, Oreg. (Continued)	7-606	(8M1059* (8M1507	302	27.1	4.7	8	4	7	97.5	261	25.8	4.5	0	1	0	
	7-624	(8M1059* (8M1507	319	28.0	5.1	6	5	6	100.0	247	26.8	4.7	1	0	0	
	7-644	(8M1059* (8M1507	308	25.9	5.1	12	9	12	100.0	250	25.5	4.7	1	2	0	
	7-646	(8M1213* (8M1507	312	26.4	4.8	9	6	9	100.0	241	26.2	4.9	3	0	0	
	6-657	(8M1110* (8M1681	300	25.5	4.6	13	8	10	76.9	231	25.8	4.7	2	1	0	
	7-672	(8M1087* (8M1681	300	25.2	5.0	9	8	9	100.0	293	25.0	4.9	0	1	0	
	7-705	(8M1213* (8M1681	301	27.2	5.1	10	6	9	90.0	252	26.3	5.1	1	0	0	
	7-710	(8M1087* (8M1681	318	27.1	5.2	9	7	8	88.9	277	25.9	5.2	0	1	0	
	7-713	(8M1059* (8M1507	319	28.3	5.4	6	4	5	83.3	224	27.2	5.5	0	0	0	
	7-730	(8M1656 (8M1663*	306	28.0	6.0	9	5	8	88.9	201	26.1	5.4	3	0	0	
	7-732	(8M1059* (8M1651*	306	26.5	4.7	5	4	4	80.0	229	26.3	4.7	1	0	0	
	7-754	(8M1651* (8M1651*	319	25.4	5.4	6	4	6	100.0	235	25.5	5.8	2	2	0	
	6-760	(8M1651* (8M1651*	319	25.4	5.5	12	10	11	91.7	270	24.9	4.5	2	0	0	
	7-781	(8M1087* (8M1657*	310	28.6	4.5	12	8	10	83.3	243	25.7	4.7	0	1	0	
	6-838	(8M1657* (8M1679*	309	25.5	4.2	6	4	5	83.3	250	26.2	4.8	0	0	0	
6-857	(8M1679* (8M1739*	305	25.8	4.8	6	4	5	83.3	270	25.0	4.6	0	1	0		
7-879	(8M1739* (8M1764	300	26.8	5.0	11	6	8	72.7	217	25.5	5.1	2	0	0		
7-900	(8M1651* (8M1651*	300	26.1	5.2	*8	4	8	100.0	230	27.3	5.4	3	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record				Entered (no.)	Qualified		Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Per- cent		No.	No.	Egg wt. (oz. per doz.)	Egg2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.		
Hanson, J. A., Corvallis, Oreg. (Continued)	5-974	(8M1457 (8M1679*	306	26.3	5.0	7	6	5	71.4	231	26.7	5.1	0	0	0		
	7-993	6M690*	310	25.3	5.2	9	6	9	100.0	268	24.8	4.8	1	2	0		
	7-1019	6M690*	305	24.0	4.5	10	6	9	90.0	257	24.5	4.5	1	2	0		
	7-1028	(8M1240* (8M1617	305	24.7	4.8	10	7	8	80.0	278	24.8	4.7	0	2	0		
	7-1051	(8M1658 (8M1240*	300	24.7	4.5	14	7	12	85.7	208	24.8	4.4	3	1	0		
	6-1120	8M1679*	303	24.8	5.2	7	5	5	71.4	263	25.8	4.8	0	0	0		
	7-1150	6M690*	341	26.2	4.8	17	14	15	88.2	248	26.5	4.9	0	0	0		
	5-1155	8M1662*	305	24.4	4.6	9	7	9	100.0	229	25.5	4.6	1	1	0		
	7-1169	6M690*	313	25.8	5.1	8	8	8	100.0	290	26.1	4.9	0	0	0		
	7-1179	6M690*	313	24.6	4.7	12	7	7	58.3	214	25.3	4.9	1	0	0		
	7-1185	(8M1240* (8M1617	323	26.8	4.8	7	5	7	100.0	255	25.7	4.6	2	0	0		
	6-1211	(8M1658 (8M1654*	313	25.0	4.1	9	8	9	100.0	268	26.1	4.7	1	1	0		
	6-1232	7M709*	305	24.8	5.1	6	5	6	100.0	281	25.4	4.7	0	1	0		
	7-1245	(8M1739* (8M1764	315	24.6	4.6	10	9	9	90.0	269	26.6	4.9	1	0	0		
	7-1289	(8M1240* (8M1617	336	24.7	4.1	8	6	7	87.5	247	26.1	4.5	1	0	0		
	7-1291	6M690*	301	24.8	4.3	10	9	9	90.0	288	25.5	4.6	0	1	0		
	7-1304	8M1651*	306	26.9	5.2	4	4	4	100.0	281	27.8	5.3	0	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Completed year	Average performance			No. completing year but failing to qualify because of low -				
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	
Hanson, J. A., Corvallis, Oreg. (Continued)	7-1305	6M690*	329	25.3	5.0	11	8	9	81.8	241	25.5	4.8	1	0
	7-1317	6M690*	301	24.2	4.9	13	7	10	76.9	232	25.6	4.8	3	1
	6-1335	8M1015	320	24.1	4.6	11	8	9	81.8	234	25.4	4.8	1	0
	4-1342	8M1739*	311	24.2	—	5	5	5	100.0	305	26.0	4.6	0	0
	6-1344	7M709*	300	24.6	4.6	8	4	6	75.0	207	25.4	5.0	1	0
	6-1350	8M1662*	302	24.5	4.6	12	5	11	91.7	245	25.4	4.7	3	0
	5-1362	8M1662*	300	24.3	4.3	8	6	8	100.0	251	25.6	4.5	2	0
	4-1388	8M1448*	304	25.7	—	9	9	9	100.0	266	26.3	4.9	0	0
	4-1389	8M1676*	316	25.1	—	6	6	6	100.0	310	26.0	4.7	0	0
	7-1402	8M1739*	327	26.0	5.2	6	4	4	66.7	225	25.4	5.1	0	0
	7-1405	8M1097*	342	26.9	4.9	4	4	4	100.0	293	25.1	5.2	0	0
	7-1496	7M1621*	307	24.7	5.3	8	7	6	75.0	235	26.2	5.5	0	0
	7-1551	7M1213*	308	27.6	5.7	6	4	6	100.0	244	27.0	5.6	1	0
	7-1555	8M1213*	309	24.9	4.2	15	5	10	66.7	185	23.9	4.7	3	0
	7-1580	7M1621*	323	25.2	4.9	8	5	5	62.5	215	25.1	5.2	1	0
	7-1581	8M1213*	303	26.4	5.2	18	14	17	94.4	257	25.3	4.7	2	0
	6-1602	8M1662*	311	26.6	5.6	16	10	14	87.5	261	25.8	5.2	2	0
	7-1605	8M1739*	312	27.8	4.9	11	7	10	90.9	233	28.1	5.1	2	0
	7-1607	6M764	305	27.2	5.1	6	4	6	100.0	227	26.4	5.3	0	1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
Daughters	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Hanson, J. A., Corvallis, Oreg. (Continued)	6-1639	8M1448*	324	24.1	3.9	17	9	15	88.2	241	25.0	4.5	1	5	0
	7-1640	8M1676*	312	25.4	5.0	12	11	11	91.7	257	25.7	4.7	0	0	0
	4-1643	6M690*	301	25.0	—	6	4	4	66.7	222	26.2	4.6	0	0	0
	7-1649	8M1659	326	24.2	4.8	8	6	7	87.5	270	25.1	4.9	0	1	0
	6-1670	8M1679	308	27.0	5.9	5	4	4	80.0	237	25.4	5.2	1	1	0
	6-1696	7M709*	303	25.2	4.9	11	8	10	90.9	283	25.6	4.7	0	2	0
	6-1709	8M1657*	303	24.6	5.5	6	6	6	100.0	265	25.6	5.2	0	0	0
	5-1714	6M753*	321	24.6	4.8	10	7	9	90.0	258	24.5	4.5	0	2	0
	6-1763	8M1662*	309	24.2	4.6	15	8	10	66.7	199	26.1	5.0	3	1	0
	7-1798	7M997*	325	26.1	5.1	6	5	6	100.0	247	25.5	5.0	0	1	0
	7-1801	8M1739*	301	24.7	4.9	8	5	7	87.5	254	25.9	4.8	1	1	0
	6-1816	8M1448*	314	24.5	4.6	17	11	15	88.2	250	25.7	4.9	2	0	0
	5-1825	8M1676*	317	25.1	4.3	13	8	11	84.6	238	24.8	4.3	2	2	0
	6-1858	8M1636	303	26.0	6.1	7	4	4	57.1	176	26.9	5.4	1	0	0
	5-1884	7M815	307	26.3	4.3	16	10	11	68.8	228	25.3	4.6	1	0	0
	4-1899	8M1015	307	24.8	—	11	9	10	90.9	270	26.9	4.9	2	0	0
	6-1908	8M1735	301	25.4	4.5	8	5	4	50.0	205	25.9	4.9	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Hanson, J. A., Corvallis, Oreg. (Continued)	6-1913	(7M815 (8M1110* (8M1636	332	24.3	5.3	12	7	9	75.0	200	25.8	5.0	3	0	0	
	6-1914	(7M709* (8M1448* (8M1676*	321	25.3	4.8	10	6	6	60.0	212	25.1	4.8	2	0	0	
	6-1949	(8M1676* (6M753* (8M1657*	303	26.8	5.4	10	8	9	90.0	260	25.4	4.7	0	1	0	
	5-1997	(6M753* (8M1657* (8M1525	315	24.8	4.5	8	4	7	87.5	270	24.9	4.6	0	2	0	
	6-2000	(8M1657* (8M1525 (8M1678	300	24.3	4.8	11	7	9	81.8	238	25.4	5.1	2	1	0	
	5-68	(8M1525 (8M1678	322	26.0	6.0	5	5	4	80.0	249	25.5	4.9	0	0	0	
	5-1881	(8M1662* (8M1216* (8M1110*	304	26.4	6.5	11	9	9	81.8	252	25.5	5.3	2	0	0	
	6-807	(8M1216* (8M1110* (8M1636	351	24.0	4.5	16	11	14	87.5	230	24.9	5.0	2	2	0	
	6-1291	(8M1110* (8M1636	315	24.8	5.1	9	6	7	77.8	220	26.8	5.4	1	0	0	
	6-1881	(8M1110* (8M1636	354	25.4	5.6	11	7	11	100.0	248	25.9	5.0	2	1	0	
Hansen Breeding Farm & Hatchery, Spanish Fork, Utah	7-436	(8M1087* (8M1651*	310	26.8	4.7	6	5	5	83.2	241	25.6	5.0	1	0	0	
	7-807	(8M1651* (8M1651*	349	25.9	4.4	10	7	10	100.0	204	26.2	4.7	3	0	0	
	C-20	D-85* (8M1651*	246	24.7	4.5	14	7	7	50.0	142	26.2	4.8	0	0	0	
	D-123	D-85* (8M1651*	262	26.3	4.1	11	5	8	72.7	181	26.3	4.7	2	0	0	
	D-18	D-86* (8M1651*	222	25.3	4.0	16	7	11	68.7	170	25.5	4.6	3	2	0	
Hawley, W. W., Jr., Batavia, N. Y.	D-49	D-86* (8M1651*	260	28.1	3.7	19	7	8	42.1	157	26.9	4.6	1	0	0	
	7-11	I-21515* (8M1651*	270	24.9	4.1	17	12	17	100.0	230	25.5	4.3	3	2	0	
	H-4322	I-21515* (8M1651*	234	25.2	4.6	10	5	9	90.0	210	24.7	4.5	2	2	0	
	J-9145	I-21515* (8M1651*	256	24.0	4.8	14	5	10	71.4	185	24.8	4.6	4	2	0	
						8	4	100.0	209	25.3	4.2	3	1	1		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for S.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.C.P. leg band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Hawley, W. W., Jr., Batavia, N. Y. (Continued)	Dam.	Sire mate												
	J-9194	I-21515*	259	26.4	4.9	9	6	88.9	234	26.9	5.2	1	1	0
	J-9292	I-21515*	275	25.2	4.6	11	5	90.9	191	23.9	4.4	4	4	1
	J-9308	I-21515*	256	25.2	4.1	9	4	66.7	173	24.9	3.9	0	2	1
	H-4382	J-22914*	244	24.0	4.2	10	7	90.0	201	25.2	4.6	1	1	0
	I-5029	J-22914*	256	25.2	4.2	15	8	86.7	186	25.6	4.5	4	0	1
	I-5037	J-22914*	233	24.0	4.9	18	8	83.3	183	25.2	4.6	5	3	0
	I-5225	J-22914*	262	25.2	4.4	11	5	100.0	224	25.0	4.4	3	3	1
	J-9251	J-22914*	272	36.4	4.3	11	4	72.7	158	25.4	4.2	4	1	1
	J-9152	J-22941	273	25.2	4.8	9	5	88.9	200	25.0	4.6	2	2	1
	I-5209	J-23931	260	26.4	4.2	9	8	100.0	242	26.4	5.3	1	0	0
	J-9182	J-23931	266	27.6	4.7	10	4	80.0	165	25.7	5.0	4	0	0
Hile's Poultry Farm, Mt. Vernon, Ohio	H-4459	(K-23303*)	247	24.0	4.1	17	11	88.2	221	25.8	4.3	3	1	2
	I-5058	K-23303*	251	25.2	4.1	17	8	82.4	207	24.1	4.1	4	4	2
	I-5124	K-23303*	245	25.2	4.4	21	14	95.2	211	25.0	4.5	5	2	0
	I-5197	K-23303*	268	25.2	4.1	31	18	90.3	212	25.1	4.5	8	3	0
	J-9249	K-23303*	274	24.0	4.2	13	7	92.3	187	25.5	4.4	5	0	0
	F-375	609	253	26.1	4.7	7	4	57.1	151	26.2	5.0	0	0	0
	G-19	609	251	26.4	4.3	11	4	54.5	161	27.7	4.7	2	0	0
	G-140	609	269	25.5	4.9	10	5	50.0	134	27.2	4.6	1	0	0
	E-395	2573*	274	26.5	4.4	12	4	33.3	113	26.5	4.5	1	0	0
	G-210	2573*	242	24.4	5.5	14	6	57.1	143	25.6	5.0	2	0	0
	G-226	2573*	312	25.3	5.0	7	4	57.1	161	25.7	5.0	0	0	0
	E-198	2680*	295	24.3	4.4	7	5	71.4	232	25.9	5.2	0	1	0
G-18	2680*	291	25.1	4.6	8	4	75.0	233	25.0	4.8	0	2	0	
G-179	2680*	265	24.5	5.3	7	4	71.4	178	25.8	5.3	0	1	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	Egg wt.	Body wt.
Hile's Poultry Farm, Mt. Vernon, Ohio (Continued)	G-17	2573*	263	25.5	4.8	10	5	7	70.0	179	26.1	4.8	1	0		
	E-195	2984*	242	25.6	4.6	11	5	4	36.4	148	25.5	4.2	0	0		
	E-349	2984*	256	28.2	4.6	9	7	7	77.8	220	26.5	4.4	0	0		
	F-7	2984*	282	24.0	4.7	6	5	6	100.0	274	25.0	4.9	0	0		
	F-290	2984*	255	28.5	4.6	7	5	6	85.7	217	26.4	4.4	1	0		
	G-122	2984*	284	25.2	5.0	8	5	6	75.0	182	25.7	5.0	0	0		
	G-178	2984*	242	25.4	4.8	13	7	10	76.9	180	25.1	4.3	1	0		
	G-272	2984*	244	26.2	5.4	7	5	4	57.1	212	25.2	4.6	0	0		
Horseshoe Poultry Ranch, Wheatland, Wyo.	8-2521	8-2700	283	25.4	4.3	11	5	9	81.8	206	24.0	4.0	2	0		
	8-2527	8-2700	268	24.2	3.7	18	6	13	72.2	211	24.1	3.9	0	0		
	8-2538	8-2700	240	24.1	4.3	15	7	14	93.3	234	23.6	3.9	2	0		
	B-267	U-2279*	272	25.6	4.1	10	9	9	90.0	258	26.4	3.9	0	0		
	D-2	U-2279*	265	26.9	4.7	6	5	6	100.0	238	27.4	4.3	1	0		
	D-66	U-2279*	265	24.0	3.9	9	5	9	100.0	214	27.0	3.9	0	1		
	D-221	U-2279*	252	25.3	3.7	6	4	4	66.7	204	26.8	4.2	0	0		
	D-502	U-2279*	269	24.1	3.8	7	4	4	57.1	173	27.0	4.3	1	0		
Johnson, N. K., Route 4, Snohomish, Wash.	J-5731	K-4570*	298	26.0	4.5	6	5	6	100.0	249	26.6	4.4	1	0		
	J-5733	K-4570*	302	26.8	4.7	6	5	5	83.3	249	26.2	4.6	0	0		
Kellar & Cockell, Ranier, Oreg.	6-58	8M2123*	286	25.4	4.4	11	9	9	81.8	223	26.5	4.1	0	0		
	7-274	7M1618	302	26.7	5.8	7	4	6	85.7	205	26.1	5.3	0	0		
	7-274	7M1604	257	26.8	4.3	6	4	5	83.3	219	25.5	4.5	1	0		
	6-310	8M2123*	270	25.8	4.1	10	10	10	100.0	274	27.1	4.2	0	0		
	7-316	7M1618	278	27.2	3.9	7	4	4	57.1	203	25.6	4.5	0	0		
	6-341	8M2123*	284	24.3	4.4	4	4	4	100.0	275	25.4	4.7	0	0		
	7-454	8M2123*	251	25.6	5.2	5	4	4	80.0	264	27.2	4.9	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.C.P. tag band number of	Dam's first- year record			Entered (no.)	Produced (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
		Dam	Sire mate	Egg prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Kirk, U. J., St. Paul, Oreg.	7-194	(7M883*	298	25.1	4.0	8	4	5	62.5	195	25.1	4.1	0	1	0
	6-168	(7M876*	286	26.5	4.0	15	5	11	73.3	165	26.1	4.6	3	0	0
	7-174	(8M1971*	263	27.6	4.1	14	7	8	57.1	168	26.6	4.4	1	0	0
	7-196	(8M1959*	287	25.9	4.4	12	5	8	66.7	169	26.1	4.6	3	0	0
	7-205	(8M1971*	251	24.8	4.7	8	4	7	87.5	209	24.7	4.6	2	1	0
	7-303	(7M883*	286	24.0	4.3	28	11	20	71.4	210	24.3	4.2	3	7	0
	7-307	(8M1971*	309	26.6	4.3	4	4	4	100.0	254	25.0	4.4	0	0	0
	7-374	(7M883*	266	25.1	3.7	16	9	10	62.5	168	26.3	4.7	1	0	0
	6-377	(8M1959*	289	24.0	4.6	14	9	12	85.7	220	25.5	4.3	3	0	0
	7-388	(8M1971*	269	24.9	4.0	14	6	10	71.4	180	25.9	4.5	4	0	0
	7-443	(8M1959*	272	25.7	4.3	8	4	7	87.5	207	25.1	4.3	1	2	0
	5-1007	(8M1948*	277	24.2	4.1	6	4	5	83.3	236	25.1	4.5	0	1	0
	5-1011	(8M1948*	289	24.3	4.5	12	4	8	66.7	168	24.3	4.0	3	1	0
	5-1020	(8M1971*	278	24.7	4.3	12	7	8	66.7	193	25.7	4.2	1	0	1
	5-1024	(8M1959*	264	25.6	4.4	29	14	18	62.1	175	26.1	4.4	2	1	0
	5-1042	(7M876*	251	25.4	4.4	7	4	5	71.4	199	24.7	4.3	1	1	0
	7-71	(8M1959*	264	24.6	4.3	22	10	11	50.0	169	25.8	4.6	0	1	0
	7-109	(7M876*	257	29.3	4.3	13	7	9	69.2	203	25.4	4.2	1	0	1
	7-163	(7M883*	262	25.6	4.4	10	5	6	60.0	168	27.1	4.5	0	1	0
	Kwality Farm, Route 1, Cranbury, N. J.	H-534	(8M1959*	242	24.0	4.1	5	4	4	80.0	---	---	---	0	0
G-448		C-1053	234	25.0	4.7	9	7	8	88.9	---	---	---	0	1	0
J-450		C-1915*	239	26.4	4.8	9	5	7	77.8	---	---	---	0	2	0
		C-1915*													

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number		Dam's first- year record				Entered		Completed		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	(no.)	(no.)	Per- cent	Egg/2/ prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	No. completing year but failing to qualify because of low -
Kwaliti Farm, Route 1, Cranbury, N. J. (Continued)	H-560	C-1915*	228	25.8	4.7	11	5	8	72.7	---	---	3	0	0	0
	Q-429	137	249	27.1	4.0	7	5	6	85.7	211	26.7	4.5	1	0	0
	S-355	238*	223	26.9	3.6	13	8	9	69.2	199	26.2	3.7	1	0	0
	S-429	238*	257	27.1	4.2	9	9	8	88.9	247	27.4	4.0	0	0	0
	S-515	238*	258	26.6	4.3	4	4	4	100.0	241	26.1	4.2	0	0	0
	S-569	238*	227	27.4	4.2	10	5	8	80.0	202	25.2	3.7	3	0	0
	S-696	238*	253	25.8	3.7	18	14	17	94.4	248	25.2	3.7	1	1	1
	S-50	239*	252	26.0	4.3	14	11	13	92.9	233	27.2	4.3	1	0	0
	S-162	239*	258	26.6	4.0	9	8	9	100.0	229	25.5	4.0	1	0	0
	S-403	239*	226	24.9	5.0	7	5	7	100.0	198	26.2	4.2	2	0	0
	S-493	239*	219	25.5	4.3	6	4	5	83.3	185	25.4	4.4	1	0	0
	S-698	239*	285	25.9	4.3	4	4	4	100.0	244	26.6	4.5	0	0	0
	S-720	239*	294	24.6	4.4	7	7	7	100.0	241	25.3	3.8	0	0	0
	S-7	339*	220	27.1	4.5	6	4	5	83.3	231	25.1	4.1	0	0	0
	S-103	339*	237	26.2	4.4	7	4	7	100.0	214	25.8	4.1	1	0	0
	S-230	339*	255	28.0	4.0	12	4	8	66.7	182	24.6	3.9	2	0	0
Larson, Archie, Route 3, Weiser, Idaho	S-279	339*	226	27.5	4.1	11	6	9	81.8	192	26.1	4.2	2	0	1
	S-571	339*	269	25.9	3.8	10	4	9	90.0	197	24.9	3.8	2	0	0
	S-725	339*	238	25.9	4.7	12	7	11	91.7	210	25.1	4.2	4	0	0
	R-41	439*	247	26.2	4.2	8	7	8	100.0	238	26.2	4.5	1	0	0
	R-195	439*	240	25.5	4.2	15	8	13	86.7	222	25.2	4.3	2	0	1
	R-573	439*	251	26.2	4.4	11	8	9	81.8	229	25.8	4.3	0	0	0
	R-643	439*	211	25.1	3.5	15	6	11	73.3	181	25.3	3.9	4	1	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.
2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year			Average performance			No. completing year but failing to qualify because of low -		
		Dam	Sire mate	Egg wt. (oz.) per doz.			Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Larson, Archie, Route 3, Weiser, Idaho (Continued)	S-4	439*	213	25.4	4.1	21	14	19	90.5	222	25.4	3.9	3	2	0
	S-29	439*	244	27.2	4.0	7	4	5	71.4	191	27.3	4.3	1	0	0
	S-203	439*	252	25.0	3.9	6	4	6	100.0	204	25.4	4.2	2	0	0
	S-468	439*	250	28.1	4.4	6	4	6	100.0	207	26.4	3.8	2	0	0
	R-95	539*	275	25.7	4.4	5	5	5	100.0	245	26.2	4.1	0	0	0
	S-62	539*	272	26.4	3.8	6	5	6	100.0	242	25.6	4.0	1	0	0
	S-121	539*	314	24.9	4.2	8	4	7	87.5	240	23.8	3.8	0	3	0
	S-310	539*	241	27.3	4.9	9	7	9	100.0	214	26.5	4.6	2	0	0
	S-480	539*	240	26.0	4.4	8	6	8	100.0	228	26.4	4.4	2	0	0
	S-625	539*	266	27.9	4.2	7	7	7	100.0	261	25.9	4.2	0	0	0
	S-750	539*	261	25.1	4.6	13	10	13	100.0	223	25.8	4.5	3	0	0
	Q-70	637*	248	—	3.8	9	8	9	100.0	254	26.1	4.0	0	0	1
	R-306	637*	255	25.0	3.8	7	6	7	100.0	247	25.5	3.8	0	0	0
	R-705	637*	260	25.8	4.4	7	6	7	100.0	232	26.7	3.9	1	0	0
	S-261	637*	259	25.3	4.2	7	4	5	71.4	213	25.3	4.0	1	0	0
	S-641	637*	266	25.4	3.9	6	6	6	100.0	240	27.5	3.9	0	0	0
	R-680	839*	210	26.0	4.2	12	7	12	100.0	239	25.4	3.7	2	0	0
	S-118	839*	258	26.8	3.8	16	13	13	81.3	231	25.8	3.8	0	0	2
	S-389	839*	222	25.2	4.1	14	5	12	85.7	201	24.9	3.7	3	4	1
	S-96	939*	225	27.1	4.1	9	4	8	88.9	201	25.4	3.9	2	0	2
	S-167	939*	265	25.7	3.7	11	8	10	90.9	239	25.5	3.9	1	0	0
	S-320	939*	226	28.0	4.4	6	4	5	83.3	204	26.4	4.2	1	0	0
	S-18	(1039)	241	26.4	3.9	8	4	7	87.5	220	25.3	3.8	2	1	0
	S-40	(1039)	271	26.0	3.8	7	7	7	100.0	246	26.3	4.0	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.
2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
Dam	Sire mate		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	Egg prod.	Egg wt.
Larson, Archie, Route 3, Weiser, Idaho (Continued)	S-41	(1039)	244	28.3	4.3	7	85.7	225	25.7	4.2	0	2	0	0	0
	S-334	(1539*)	259	26.3	4.5	9	88.9	223	25.3	4.0	0	1	1	1	1
	S-409	(1039)	227	24.9	4.1	8	100.0	216	24.3	3.9	3	1	0	0	0
	Q-298	1137*	268	—	4.3	9	77.8	183	25.6	4.5	0	2	0	0	0
	S-131	1137*	276	24.0	4.2	18	23.3	190	26.2	4.4	5	0	0	0	0
	S-183	1137*	247	26.2	3.9	6	100.0	218	26.3	4.1	1	0	0	0	0
	S-595	1137*	246	25.5	4.2	10	80.0	195	25.7	4.1	2	1	0	0	0
	S-46	1339*	257	26.6	3.9	5	100.0	274	26.6	4.1	0	0	0	0	0
	S-107	1339*	293	25.2	3.6	6	100.0	236	27.1	4.0	1	0	0	0	0
	S-300	1339*	259	24.8	3.6	12	91.7	215	25.2	3.8	2	3	1	1	1
	S-407	1339*	271	24.9	3.9	13	100.0	230	25.5	4.3	2	1	1	1	1
	S-539	1339*	245	25.7	4.4	5	100.0	221	25.7	4.2	0	0	0	0	0
	S-597	1339*	255	25.3	4.0	16	81.3	197	24.9	4.0	3	1	0	0	0
	R-621	1439	241	24.8	4.4	8	100.0	229	25.1	3.9	0	3	1	1	1
	S-615	1439	276	27.5	4.0	7	57.1	200	25.4	4.1	0	0	0	0	0
Lewis, H. H., Woodbine, Pa.	40	188*	314	26.8	4.2	7	85.7	205	25.8	4.6	2	0	0	0	0
	174	188*	322	25.6	—	5	100.0	250	25.3	5.0	1	0	0	0	0
	154	62177	311	24.8	4.5	14	92.9	191	24.0	4.6	7	2	0	0	0
	B-81	445*	245	24.2	3.6	7	100.0	238	24.4	4.1	0	1	0	0	0
Lone Oak Leghorn Farm, Eufaula, Ala.	B-134	445*	242	24.3	3.9	8	87.5	225	25.2	4.0	1	0	0	0	0
	E-366	B-531*	272	26.1	4.3	14	64.3	165	25.1	4.1	3	2	1	1	1
	E-607	B-531*	263	25.9	4.3	17	70.6	172	23.6	3.9	4	4	3	3	3
	E-652	B-531*	301	26.0	4.0	10	80.0	190	24.7	3.9	3	2	1	1	1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Her-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -				
		Dam	Sire mate	Egg prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Manti-Apex Breeding Farm, Manti, Utah (Continued)	C-144	C-139	240	26.2	4.2	17	6	12	70.6	178	24.7	3.8	4	3	3	
	B-87	C-148	226	25.2	4.1	10	6	9	90.0	179	24.3	3.8	3	3	1	
	D-4	C-148	245	24.0	4.1	19	9	14	73.7	175	24.7	4.0	5	2	0	
	E-206	C-343	281	25.7	4.1	17	6	14	82.4	200	24.8	3.7	4	4	4	
	E-387	C-343	265	24.5	3.9	16	6	9	56.3	183	24.7	3.7	2	2	2	
	E-572	C-343	285	25.6	4.1	7	5	4	57.1	210	24.9	3.8	0	0	0	
	D-84	D-742	233	25.8	4.2	11	5	9	81.8	186	23.7	3.8	3	3	1	
	A-17	89	273	27.0	4.2	9	5	4	44.4	218	24.7	5.3	1	0	0	
Marshall Farms, Mobile, Ala.	A-34	553*	270	25.6	4.3	5	4	5	100.0	273	25.7	5.0	0	1	0	
	A-55	553*	292	24.8	5.4	9	7	8	88.9	234	25.0	5.2	1	0	0	
	A-59	553*	271	26.2	4.9	11	9	9	81.8	251	26.1	5.2	0	0	0	
	A-91	554*	---	---	---	8	6	7	87.5	269	25.2	5.0	0	0	0	
	B-199	652	269	25.2	3.8	6	6	6	100.0	246	25.9	4.7	0	0	0	
	B-218	652	268	25.1	4.8	5	5	4	80.0	234	25.3	4.5	0	0	0	
	B-148	695	298	25.2	5.0	4	4	4	100.0	271	25.7	5.3	0	0	0	
	B-206	696	273	26.5	4.9	5	4	2	40.0	234	24.8	5.0	0	0	0	
McGregor, V. C., Maine, N. Y.	I-4832	(K22298 (K24992*	252	26.4	4.4	12	7	10	83.3	179	27.6	4.2	3	0	1	
	I-4853	(K22298 (K24992*	226	26.4	4.1	9	4	8	88.9	181	28.8	4.4	3	0	0	
	I-4901	(K22298 (K24992*	226	25.2	3.8	12	5	8	66.7	153	26.8	4.0	3	0	0	
	J-9413	(K22298 (K24992*	245	26.4	4.1	13	9	12	92.3	195	27.6	4.2	1	0	0	
	J-9487	(K22308 (K24978*	235	26.4	3.8	11	7	8	72.7	171	27.5	4.5	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.
2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record				Entered (no.)	Produced (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
		Dam.	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
McGregor, V. C., Maine, N. Y. (Continued)	J-9525	(K22308)	228	26.4	3.8	17	9	13	76.5	181	26.0	4.3	4	0	0	
	J-9563	(K24978*)	262	26.4	5.1	15	6	9	60.0	163	27.6	4.6	3	0	0	
	K-10079	(K22232)	275	26.4	4.3	15	5	9	60.0	146	26.2	4.1	3	0	0	
	B-38	2527	232	25.9	4.0	9	4	8	88.9	173	25.1	4.0	4	0	1	
	B-33	2540	203	27.0	4.8	6	4	6	100.0	212	25.6	4.6	2	0	0	
Menefee Poultry Farm & Hatchery, Gallion, Ala.	B-35	2540	209	25.0	4.4	12	5	11	91.7	174	25.6	4.7	5	1	0	
	B-90	2042	263	24.8	4.5	7	5	7	100.0	226	25.6	4.6	2	0	0	
	B-44	2045	236	25.0	4.1	11	5	6	54.5	142	25.1	3.9	1	0	1	
	B-53	(2045)	270	25.0	4.9	13	5	7	53.8	146	24.9	4.0	2	1	2	
	B-141	2045	234	27.0	4.3	11	5	7	63.6	168	25.2	4.1	2	0	0	
Millcreek Poultry Farm, Crossville, Ala.	B-40	2052	276	25.2	4.4	11	4	7	63.6	122	25.9	4.5	3	0	0	
	B-98	2052	254	26.3	5.2	11	4	6	54.5	126	24.6	4.7	1	1	0	
	B-39	2067	221	24.8	4.0	8	4	5	62.5	168	25.2	4.5	1	0	0	
	B-56	2067	226	25.6	5.4	12	5	8	66.7	148	25.7	5.0	3	0	0	
	B-83	2067	220	24.8	4.6	15	8	12	80.0	160	25.7	4.6	4	0	0	
Moll Breeding Farm, Wauseon, Ohio	F-152	G-3006*	245	26.5	4.2	11	9	9	81.8	210	25.8	4.7	1	0	0	
	G-161	G-3008	219	24.4	4.4	11	4	4	36.4	130	27.2	4.9	0	0	0	
	G-182	G-3008	218	25.2	4.7	10	4	3	30.0	144	26.2	5.1	0	0	0	
	G-62	6924	270	25.3	4.0	10	5	6	60.0	183	26.3	4.6	1	0	0	
Peninsula Poultry Farm, Port Clinton, Ohio	G-155	F-1032*	248	25.0	5.1	9	4	7	77.8	198	25.6	5.1	3	0	0	
	G-91	F-1040	254	25.8	5.6	14	5	8	57.1	165	24.8	4.9	1	2	0	
	G-116	F-1040	255	25.9	5.4	8	4	7	87.5	230	24.4	4.8	1	2	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address				U.S.R.O.P. leg band number of -				Dam's first- year record				Entered (no.)				Qualified (no.)				Daughters				No. completing year but failing to qualify because of low -			
																				Average performance							
																				Completing year	Egg wt.	Egg/ prod. (no.)	Body wt. (lbs.)				
Dam.	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	Per- cent	No.	(no.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.												
Peninsula Poultry Farm, Port Clinton, Ohio (Continued)	G-232	F-1047	270	25.0	5.4	8	4	50.0	163	25.3	5.0	0	0	0	0	0											
	G-58	F-1056*	289	27.0	4.8	8	6	75.0	211	26.2	4.9	0	0	0	0	0											
	G-344	F-1056*	289	26.4	5.3	13	9	69.2	206	26.3	5.2	0	0	0	0	0											
	G-319	F-1067	277	24.8	4.8	9	5	55.6	169	24.9	5.1	0	0	0	0	0											
	G-65	F-1047	265	25.2	4.7	12	4	33.3	141	25.8	4.2	1	0	0	0	0											
	G-312	F-1070	229	25.8	5.6	9	4	55.6	171	24.3	5.0	0	1	0	0	0											
Perry Poultry Plant, Route 3, Provo, Utah	B-232	D-100	253	24.7	4.0	9	4	44.4	172	26.3	4.2	0	0	0	0	0											
	D-403	D-100	288	26.5	4.6	8	4	50.0	162	26.0	4.3	0	0	0	0	0											
Plainview Poultry Farm, Grand Rapids, Mich.	J-2681	L-2388*	244	24.0	4.7	6	5	100.0	217	25.5	4.4	1	0	0	0	0											
	L-4508	L-2388*	232	24.4	4.4	6	6	100.0	219	24.5	4.3	1	1	0	0	0											
	L-4524	L-2533	272	25.1	4.6	6	6	100.0	192	25.2	4.9	2	2	0	0	0											
	E-83	F-366*	234	24.7	4.8	22	13	59.1	157	25.0	4.8	4	0	0	0	0											
	G-221	G-1687	237	24.1	4.6	8	4	50.0	144	25.0	4.4	0	0	0	0	0											
	3610	J-22999	243	26.4	4.3	9	2	22.2	174	25.0	4.1	0	0	0	0	0											
Porter, Farley, Sodus, N. Y.	10157	J-23547	288	25.2	4.5	11	7	63.6	186	25.6	4.6	0	0	0	0	0											
	10203	J-23547	275	25.2	4.2	6	4	66.7	164	25.9	4.6	0	0	0	0	0											
	10292	J-20763	290	25.2	4.3	14	6	42.9	147	25.3	4.6	0	0	0	0	0											
	10198	K-23106	258	24.0	5.2	4	4	100.0	221	25.5	5.0	0	0	0	0	0											
	9816	K-23391	270	25.2	4.5	10	4	40.0	144	24.2	4.1	0	0	0	0	0											
	10204	K-23391	253	25.2	4.8	6	4	66.7	177	25.2	4.5	0	0	0	0	0											
Rowley, H. K., Mt. Morris, Pa.	A-52	B-1095*	245	25.2	4.8	10	6	100.0	235	25.9	3.9	2	2	0	0	0											
	B-238	B-1095*	272	24.3	4.6	6	4	83.3	200	26.2	4.5	1	0	0	0	0											
	C-213	B-1095*	257	28.9	4.8	15	13	86.7	225	27.1	4.7	2	0	0	0	0											
	C-257	B-1095*	241	26.2	4.0	9	6	100.0	236	26.4	4.3	3	0	0	0	0											
	C-360	B-1144	236	27.2	3.7	9	7	77.8	198	26.5	4.5	1	0	0	0	0											

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Omitted (no.)	Completing year			Average performance			No. completing year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	
Rowley, H. K., Mt. Morris, Pa. (Continued)	C-37	B-1153*	201	24.7	3.9	14	8	9	64.3	212	25.7	4.7	1	1	0
	C-325	B-1153*	254	25.9	4.9	7	4	6	85.7	206	25.9	4.8	2	0	0
	C-182	B-1153*	258	26.2	4.5	4	4	4	100.0	229	26.3	4.6	0	0	0
	A-40	(B-1165* (B-1294	231	24.2	4.9	7	5	7	100.0	254	25.1	4.7	0	2	0
	C-300	(B-1165* (B-1294	235	26.5	4.8	9	6	8	88.9	213	26.7	5.2	2	0	0
	C-318	(B-1165* (B-1294	209	27.4	4.8	8	6	8	100.0	244	26.7	5.0	1	1	0
	C-366	(B-1165* (B-1294	279	26.1	4.6	4	4	4	100.0	301	26.3	5.3	0	0	0
	C-436	(B-1165* (B-1294	228	26.3	4.5	6	5	5	83.3	221	26.1	4.8	0	0	0
	C-440	(B-1165* (B-1294	261	25.6	3.7	10	7	9	90.0	217	27.2	4.5	2	0	0
	C-442	(B-1165* (B-1294	297	24.2	3.8	6	4	5	83.3	194	25.9	4.7	1	0	0
	A-53	B-1175*	204	27.0	4.3	6	5	3	50.0	214	26.4	4.3	0	0	0
	B-328	B-1175*	271	25.2	5.3	8	5	5	62.5	224	27.0	4.8	1	0	0
	B-423	B-1175*	218	26.0	3.3	11	6	9	81.8	192	26.2	4.3	3	0	0
	C-23	B-1175*	269	24.6	4.1	18	10	12	66.7	170	25.8	4.2	3	0	0
	C-211	B-1175*	233	26.4	4.4	12	8	9	75.0	253	26.1	4.5	0	1	0
	C-226	B-1175*	263	24.4	4.2	13	8	11	84.6	176	25.5	4.1	3	0	0
A-49	B-1183*	256	25.0	4.5	15	13	14	93.3	236	27.5	5.5	1	0	0	
C-24	B-1183*	228	25.1	3.6	7	4	5	71.4	239	26.5	4.7	1	0	0	
C-66	B-1183*	218	24.6	4.9	16	12	14	87.5	242	26.7	4.9	4	0	0	
C-288	B-1183*	217	25.3	3.6	14	6	12	85.7	147	26.3	4.7	6	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record				Entered (no.)	Permitted (no.)	Completing year		Average performance		No. completing year but failing to qualify because of low -				
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg wt. (oz. per doz.)					Body wt. (lbs.)						
												Egg prod. (no.)				Egg wt. (oz. per doz.)	Body wt. (lbs.)
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)				
Rowley, H. K., Mt. Morris, Pa. (Continued)	C-310	B-1183*	226	26.2	4.3	16	9	14	87.5	201	27.0	5.0	4	1	0		
	C-312	B-1183*	240	27.0	4.4	11	5	4	36.4	158	28.1	5.2	0	0	0		
	C-313	B-1183*	278	24.6	3.8	13	9	11	84.6	254	25.6	4.8	0	2	0		
	C-372	B-1183*	236	27.5	4.9	11	7	9	81.8	209	26.6	5.3	2	1	0		
	C-388	B-1183*	250	27.9	4.8	13	11	9	69.2	237	27.6	5.0	0	0	0		
	A-43	(B-1202 B-1233)	219	24.9	4.0	6	4	5	83.3	217	25.4	4.0	1	0	0		
	C-331	(B-1233 B-1202)	237	26.6	4.2	9	7	8	88.9	241	27.0	4.2	0	0	0		
	A-37	B-1206*	237	24.9	4.2	8	5	6	75.0	237	26.2	4.5	0	0	0		
	C-342	B-1206*	257	27.2	4.9	8	6	7	87.5	223	27.4	5.3	1	0	0		
	C-373	B-1206*	240	25.3	3.9	6	4	4	66.7	218	26.6	4.2	0	0	0		
	C-378	B-1206*	255	25.0	4.0	12	6	8	66.7	211	26.0	4.8	0	1	0		
	C-407	B-1206*	279	24.0	4.1	11	8	8	72.7	213	25.0	4.6	0	0	0		
	C-280	B-1223	234	24.1	4.1	16	9	12	75.0	205	25.4	4.2	1	1	0		
	B-12	(B-1252* B-1336)	259	25.6	4.4	7	6	6	85.7	220	26.2	4.8	0	0	0		
	B-424	(B-1252* B-1336)	237	24.2	4.1	12	7	10	83.3	234	25.7	4.5	2	1	0		
	C-16	(B-1252* B-1336)	211	25.1	4.4	10	7	10	100.0	241	24.5	4.3	2	1	0		
	C-40	(B-1252* B-1336)	249	26.3	3.9	6	5	6	100.0	236	25.5	4.6	0	1	0		
	C-259	(B-1336 B-1252*)	294	24.1	3.8	11	5	8	72.7	242	25.3	4.7	1	2	0		
	B-338	B-1253*	257	26.4	5.1	7	4	5	71.4	189	24.9	4.7	1	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of - Dam Sire mate		Dam's first-year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)					Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Rowley, H. K., Mt. Morris, Pa. (Continued)	C-371	B-1253*	245	24.8	4.1	6	5	6	100.0	253	24.4	4.5	0	1	0
	B-47	B-1289	240	27.6	5.2	4	4	4	100.0	244	27.7	5.1	0	0	0
	C-142	B-1289	278	25.5	5.2	7	5	6	85.7	259	26.3	4.7	0	0	0
	B-404	B-1318*	283	26.3	4.7	7	5	6	85.7	234	25.5	4.1	0	1	0
	C-290	B-1318*	276	26.5	4.7	5	4	5	100.0	238	26.0	4.3	1	0	0
	C-397	B-1318*	269	25.5	4.6	8	8	8	100.0	245	26.8	4.1	0	0	0
Rowley, P. E., Puyallup, Wash.	J-2060	(3072) (J-3444)	267	26.3	4.6	5	4	4	80.0	200	26.3	4.6	0	0	0
	J-2089	(3072) (3894)	272	24.2	3.8	7	5	6	85.7	226	24.3	4.1	0	1	0
	J-2138	(3081) (J-7069)	269	25.0	3.6	9	6	8	88.9	211	25.6	4.0	2	0	0
	J-2225	3115	282	24.3	4.6	12	5	9	75.0	200	24.5	4.1	2	0	0
	J-2270	3381	272	26.6	4.2	10	4	4	40.0	176	25.1	4.5	0	0	0
	J-2272	3381	252	26.8	4.9	7	4	5	71.4	181	25.5	4.4	1	0	0
	J-2280	3381	274	26.7	4.9	12	5	7	58.3	144	25.5	4.3	2	0	0
	J-2135	3894	266	24.5	3.7	6	5	6	100.0	252	25.5	4.1	0	1	0
	J-2016	4075*	285	25.7	3.7	12	8	11	91.7	223	24.9	4.0	1	2	0
	J-2017	4075*	251	25.0	4.0	11	5	9	81.8	202	24.9	3.9	2	2	0
	J-2202	J-7049	277	26.1	4.3	8	5	7	87.5	240	25.1	4.1	1	1	0
	926	887	228	25.7	4.6	9	4	7	77.8	212	24.3	3.8	0	3	0
Sand Springs Home Farms Sand Springs, Okla.	2220	1351	281	25.0	4.2	8	6	8	100.0	239	25.4	4.3	1	1	0
	2222	1381	241	25.1	4.2	12	8	11	91.7	238	24.6	4.2	0	3	0
	2322	1381	231	25.7	4.2	7	4	6	85.7	226	24.0	3.8	0	2	1
	934	1407*	286	24.3	4.5	11	6	8	72.7	196	24.2	4.2	0	2	0
	942	1407*	280	24.8	4.4	9	7	7	77.8	194	25.6	4.3	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -	
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	No. completing year but failing to qualify because of low -	
Sand Springs Home Farms, Sand Springs, Okla. (Continued)	1407*	278	25.0	4.2	14	5	176	24.6	4.0	1	3	1	1	1
	1407*	264	24.3	4.3	14	8	182	25.1	4.2	1	0	0	0	0
	1407*	271	24.9	3.9	12	6	188	25.4	4.4	0	1	0	0	0
	1407*	246	26.6	4.2	7	4	214	26.0	4.2	1	0	0	0	0
	1407*	265	25.4	4.6	15	7	194	25.4	4.3	2	1	0	0	0
	1407*	271	26.1	4.4	14	10	204	25.2	4.2	1	0	0	0	0
	1407*	229	26.4	3.6	14	9	199	25.5	4.4	2	1	0	0	0
	3080*	248	24.5	4.0	11	7	232	24.9	4.2	1	2	0	0	0
	3080*	235	24.6	4.2	15	8	198	25.6	4.3	0	1	0	0	0
	3080*	257	27.6	4.1	10	8	207	26.5	4.2	0	0	0	0	0
	3080*	231	25.0	4.0	18	9	183	25.6	4.2	2	0	0	0	0
	3080*	269	25.9	4.4	9	8	209	26.5	4.5	0	0	0	0	0
	3129	263	24.7	4.4	8	4	186	24.4	4.3	3	2	0	0	0
	3129	248	24.8	4.4	12	5	181	24.5	4.1	2	4	0	0	0
Space, Mrs. R. Tyler, Homer, N. Y.	K22364*	249	25.2	4.0	8	5	177	24.7	4.9	0	1	0	0	0
	K22370	284	28.8	5.4	5	4	227	26.4	4.5	1	0	0	0	0
	K22366*	257	26.4	4.2	6	5	214	26.0	4.2	0	0	0	0	0
Stephens, Frank, Star City, Ind.	F3414*	249	25.7	5.3	17	15	231	25.7	5.3	0	1	0	0	0
	F3430*	273	24.6	5.0	12	7	220	25.2	4.4	2	2	0	0	0
	F3473*	268	25.2	4.4	7	5	265	24.9	4.4	1	1	0	0	0
	F3473*	270	24.4	5.4	5	5	249	24.9	5.0	0	0	0	0	0
	F3473*	269	26.3	4.8	6	4	217	24.7	4.4	0	1	0	0	0
	F3473*	276	24.3	5.0	8	4	196	24.8	4.6	1	1	0	0	0
	F3473*	264	25.3	5.1	8	4	200	24.5	4.7	3	2	0	0	0
	F3473*	264	26.5	5.6	6	6	250	25.7	5.2	0	0	0	0	0
	F3473*	279	24.7	4.8	10	5	201	24.8	4.6	3	2	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Rejected (no.)	Completed year		Average performance			No. completing year but failing to qualify because of low -	
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)					Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)		
	No.	Per- cent						Egg2/ prod. (no.)	Egg wt. per doz.)					
			Dam	Sire mate										
Stephens, Frank, Star City, Ind. (Continued)	L5062	F7949*	289	26.7	5.5	8	5	7	87.5	203	24.7	4.9	2	0
	L5179	F7949*	276	24.9	5.1	15	10	14	93.3	241	24.9	5.0	3	0
	L5270	F7949*	277	27.0	5.5	11	8	10	90.9	208	26.0	5.0	2	0
	L5462	F7949*	311	26.9	5.5	11	4	4	36.4	164	24.4	4.9	1	0
	L5469	F7949*	274	25.2	5.4	6	4	4	66.7	206	25.5	5.6	0	0
Townline Poultry Farm, Zeeland, Mich.	4-4413	J-739	237	24.6	3.8	8	5	6	75.0	183	25.4	4.3	1	0
	3-3014	L-2215*	262	25.5	4.5	7	4	5	71.4	175	25.5	4.1	1	0
	3-4310	L-2215*	253	27.1	4.4	9	6	8	88.9	183	25.8	4.2	2	0
	3-4347	L-2215*	243	25.0	4.4	11	4	7	63.6	144	25.2	4.5	2	0
	6-4317	L-2924	230	24.3	4.5	11	5	7	63.6	152	24.8	4.3	2	0
Townsend, Francis J., Cazenovia, N. Y.	J-4810	I-21129	216	26.4	4.5	19	10	10	52.6	152	26.3	4.4	0	0
	H-3581	K-22016*	241	25.2	4.0	22	9	12	54.5	173	25.5	4.4	2	1
	J-4853	K-22016*	275	27.6	4.1	13	6	8	61.5	178	26.7	4.2	1	1
	J-4874	K-22016*	270	26.4	3.9	18	6	13	72.2	214	25.0	3.9	0	4
	J-4888	K-22016*	286	25.2	4.4	16	8	12	75.0	224	24.7	4.0	2	2
Van Duzer, W. S., Sugar Loaf, N. Y. Wayne Poultry Farm, Wooster, Ohio	J-4946	K-22016*	269	26.4	3.7	14	8	7	50.0	193	26.8	4.3	0	0
	I-4196	K-22019	265	25.2	3.8	16	7	15	93.8	225	24.6	4.4	3	0
	J-4872	K-22022	271	26.4	4.1	13	7	10	76.9	184	26.0	4.7	3	0
	I-4095	K-22023	260	27.6	4.3	14	7	9	64.3	174	26.0	4.1	0	2
	J-4364	I-21751	252	24.0	3.9	9	4	5	55.6	185	24.9	4.3	0	0
	I41-8	K-22807	283	24.8	4.8	10	4	6	60.0	155	25.1	4.3	2	1
	G-95	2092	241	24.9	4.4	12	4	4	33.3	122	25.2	4.5	0	0
	G-205	2717	254	25.6	4.2	11	4	4	36.4	116	24.7	4.1	0	0
	G-185	2732	274	24.4	4.9	9	4	3	33.3	184	24.5	4.6	0	0
	F-159	2768	262	26.3	4.2	13	6	8	61.5	165	26.3	4.4	2	0
	F-240	2768	261	27.8	4.4	15	5	6	40.0	151	24.6	4.3	1	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year			Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt.	Body wt.	No. completing year but failing to qualify because of low -
Young, B. C., Bellingham, Wash.	J-2652	80	283	27.8	4.1	6	4	5	83.3	193	26.6	4.5	1	0	0	0
	J-2732	80	266	26.6	4.5	6	4	5	83.3	204	21.8	3.6	1	0	0	0
	G-1927	8-3241	286	24.5	--	5	4	4	80.0	221	25.8	4.3	0	0	0	0
	J-2616	8-3278	267	27.4	3.7	9	7	7	77.8	213	25.4	4.3	0	0	0	0
	I-1605	8-3360	290	27.5	4.1	6	6	6	100.0	241	26.4	4.2	0	0	0	0
	J-2571	8-3360	270	26.2	4.3	8	5	5	62.5	163	25.2	4.2	0	0	0	0
	J-2778	8-3360	275	26.3	3.8	7	4	4	57.1	196	25.7	4.1	0	0	0	0
	J-2743	8-3971	269	27.0	4.7	7	4	5	71.4	161	25.3	4.7	1	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Sires 1/

Breeder's name and address	Sire's U.S. P.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Qualified (no.)	Completing year		Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Blodgett, George, Derry, N. H.	1065	237	27.5	6.7	3	9	45	25	33	73.3	185	26.6	5.9	10	1	0
Brightwater Farms, Hendersonville, N. C.	M-16 M-17 M-897	283 275 262	26.0 25.5 —	6.3 6.8 —	6 2 5	14 12 13	73 76 66	48 35 47	66 67 60	90.4 88.2 90.9	217 207 209	26.4 25.1 27.0	6.1 5.9 5.9	17 19 13	3 18 0	0 0 0
Helms, H. Bernard, Monroe, N. C.	B-473 M-931	290 245	26.8 24.2	5.2 6.4	6 3	11 14	113 46	47 20	89 29	78.8 63.0	179 185	26.5 25.9	6.1 6.0	39 6	7 3	0 0
Larrabee, Edward N., Peterboro, N. H.	1-39 2-39 4-39 6-39 8-39 9-39	243 264 281 268 253 270	27.1 26.0 24.0 25.0 24.0 25.6	5.8 — 5.3 5.8 — 6.0	3 4 5 2 5 6	6 6 6 6 7 10	37 60 53 52 47 81	20 43 36 22 28 42	26 47 40 35 33 57	70.3 78.3 75.5 67.3 70.2 70.4	204 208 201 209 199 193	25.7 26.9 26.0 24.8 26.2 25.7	5.5 6.1 5.5 5.3 5.9 5.5	0 1 1 1 6 5	2 0 0 8 1 10	0 0 0 1 0 0
Pine Top Poultry Farm, Tamworth, N. H.	1170	270	25.6	6.0	1	7	68	23	49	72.1	168	25.4	5.7	19	8	0
Twitchell, H. S. & M. E., Exeter, N. H.	298 1217	289 316	24.8 25.8	6.5 —	2 2	8 6	63 51	23 22	44 32	69.8 62.7	191 179	24.9 24.9	6.0 5.5	12 3	11 8	0 1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

New Hampshire Dams 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Blodgett, George, Derry, N. H.	K-91	344	263	25.8	7.9	7	4	7	100.0	212	25.9	6.2	3	0
	K-106	344	245	25.6	6.1	5	4	5	100.0	211	25.5	6.2	1	0
	K-189	1038	260	26.4	6.1	7	4	6	85.7	206	27.1	5.8	2	0
	J-51	1059	290	26.5	6.5	8	5	7	87.5	197	26.5	5.9	0	0
	K-68	1059	231	25.5	6.4	9	6	6	66.7	162	26.3	6.4	0	0
	K-124	1065*	238	24.9	5.1	9	6	8	88.9	213	26.3	5.5	1	0
	K-148	1065*	235	25.5	5.9	10	6	4	40.0	157	26.0	6.6	0	0
	K-315	1065*	272	27.0	5.1	10	6	7	70.0	179	27.2	6.1	4	0
	K-7	1274	247	25.9	6.4	12	7	8	66.7	168	27.0	6.6	0	0
	A-572	M-16*	266	26.1	6.1	11	6	9	81.2	195	25.8	6.3	3	0
Brightwater Farms, Hendersonville, N. C.	A-645	M-16*	253	28.4	6.0	4	4	4	100.0	248	26.7	6.3	0	0
	A-1139	M-16*	273	27.0	5.5	6	5	6	100.0	233	26.7	6.2	1	0
	A-1225	M-16*	275	25.5	6.1	6	5	5	83.3	226	28.4	6.7	0	0
	A-1228	M-16*	268	24.4	6.5	10	9	10	100.0	273	25.6	6.1	0	0
	A-1275	M-16*	271	25.0	5.8	10	8	9	90.0	231	26.2	6.1	1	0
	A-603	M-17*	241	24.7	7.5	13	5	11	84.6	205	24.7	6.0	3	0
	A-1109	M-17*	242	24.5	5.6	22	20	21	95.4	239	25.7	6.0	1	0
	B-732	M-897*	266	24.2	6.9	6	6	6	100.0	222	27.1	6.6	0	0
	B-749	M-897*	283	26.0	6.3	7	6	6	85.7	241	28.3	5.9	1	0
	B-793	M-897*	322	24.1	5.8	12	9	9	75.0	202	27.0	5.5	0	0
	B-1224	M-897*	291	24.2	4.8	6	4	6	100.0	234	25.1	5.5	2	0
	B-1243	M-897*	250	24.0	5.9	9	7	7	77.8	197	26.3	6.1	0	0
	B-664	M-961	218	28.3	7.0	9	7	8	88.9	190	27.1	6.4	1	0
	1-825	B-473*	203	25.6	5.5	18	8	14	77.8	183	25.3	6.1	5	0
	1-838	B-473*	217	26.7	6.4	6	4	6	100.0	210	25.8	5.9	2	0
	1-850	B-473*	222	27.3	6.3	15	5	11	73.3	168	27.4	6.5	5	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Dams (Continued) 1/

Breeder's name and address	Daughters										No. completing year but failing to qualify because of low -		
	U.S.R.O.P. leg band number of -		Dam's first- year record		Entered (no.)	Produced (no.)		Completing year		Average performance		Egg prod.	Egg wt.
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Helms, H. Bernard, Monroe, N. C. (Continued)	1-882	B-473*	221	27.4	5.8	6	4	66.7	160	27.9	6.2	0	0
	1-919	B-473*	207	25.7	5.1	20	18	90.0	192	26.9	5.9	8	0
	1-964	B-473*	209	27.3	5.4	12	10	83.3	200	27.0	6.0	4	0
	3-496	C-241 (M-929)	251	28.8	5.4	8	7	87.5	187	25.3	5.5	2	0
	5-317	(M-931*)	211	27.8	5.8	12	10	83.3	198	26.8	6.0	2	0
	5-384	(M-929) (M-931*)	219	25.4	6.1	5	4	80.0	234	25.8	5.3	0	0
	5-422	(M-929) (M-931*)	217	24.7	5.0	12	12	100.0	198	25.3	5.4	5	1
	H3-16	1-39*	267	24.1	4.9	6	4	50.0	196	25.1	5.2	0	0
	H3-37	1-39*	254	24.2	5.3	9	9	100.0	243	25.3	5.9	0	1
	H7-3	1-39*	266	24.5	5.3	5	4	80.0	185	26.2	5.3	0	0
Larrabee, Edward N., Peterboro, N. H.	I10-7	2-39*	232	25.1	7.1	8	4	50.0	140	25.9	5.9	0	0
	I10-11	2-39*	249	25.8	6.0	11	9	90.9	217	26.8	6.3	0	0
	I10-17	2-39*	250	25.8	6.2	22	17	86.4	226	27.3	6.0	0	0
	I10-39	2-39*	262	26.4	6.3	11	8	72.7	209	26.8	6.5	0	0
	I7-119	3-39	272	25.2	6.0	12	6	58.3	183	25.5	5.2	0	0
	I6-14	4-39*	248	26.0	6.1	12	8	66.7	171	26.3	5.7	0	0
	I6-15	4-39*	226	25.9	6.7	11	7	72.7	198	25.5	5.7	0	0
	I10-46	4-39*	299	26.4	5.9	7	5	85.7	216	26.3	5.7	1	0
	I10-50	4-39*	278	26.1	5.2	10	9	100.0	248	26.1	5.3	0	0
	I10-81	4-39*	245	27.0	5.9	5	4	80.0	214	26.2	5.5	0	0
	I7-53	5-39	249	25.7	5.9	5	4	80.0	188	27.8	5.8	0	0
	I10-15	5-39	226	26.4	6.0	9	6	66.7	216	25.5	6.1	0	0
	I7-39	6-39*	301	24.1	6.7	19	7	84.2	238	24.3	5.2	0	1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg band number of -	Dam's first- year record			Entered (no.)	Per- cent	Average performance			No. completing year but failing to qualify because of low -					
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)						
											Completed year	Egg prod.	Egg wt.		
														No.	prod.
Dam	Sire mate				(no.)	cent	(no.)	(no.)	(lbs.)	wt.	prod.	wt.			
Larrabee, Edward N., Peterboro, N. H. (Continued)	I7-131	6-39*	277	24.3	5.4	10	5	6	60.0	209	24.6	5.2	0	1	0
	I3-17	7-39	274	24.5	6.1	9	5	7	77.8	201	26.0	5.2	0	1	0
	H-3925	8-39*	266	26.2	6.0	11	4	7	63.6	205	26.7	6.3	3	0	0
	H-3972	8-39*	270	25.6	6.0	12	8	8	66.7	206	25.0	6.1	0	0	0
	H3-67	8-39*	277	24.4	5.0	5	4	4	80.0	215	26.1	5.4	0	0	0
	H5-56	8-39*	259	27.0	5.5	6	5	5	83.3	193	26.4	6.0	0	0	0
	H7-35	8-39*	273	25.2	5.3	5	4	4	80.0	218	27.6	6.0	1	0	0
	G5-35	9-39*	215	25.2	6.1	11	6	9	81.8	194	27.1	5.8	2	0	0
	H3-54	9-39*	282	25.6	5.7	11	6	6	54.5	181	25.3	5.5	0	0	0
	H8-10	9-39*	256	24.4	—	8	4	4	50.0	182	25.0	5.1	0	0	0
	H9-40	9-39*	268	25.0	5.8	6	4	5	83.3	191	26.9	5.4	1	1	0
	H9-60	9-39*	281	24.0	6.1	12	8	10	83.3	209	25.6	5.8	0	2	0
	H9-69	9-39*	247	27.0	5.3	8	6	7	87.5	231	26.3	5.4	0	1	0
	I2-59	10-39	256	25.6	5.9	11	6	8	72.7	184	25.9	5.5	1	0	0
	I8-73	11-39	261	25.4	—	6	4	5	83.3	205	24.6	4.9	0	1	0
Little, Mrs. Harry F., Camillus, N. Y.	J-42	(K-150)	234	28.8	5.3	5	4	5	100.0	226	28.1	6.0	1	0	0
	J-122	(K-155)	302	25.2	5.0	6	4	5	83.3	196	25.8	5.6	1	0	0
	J-939	(K-154)	209	26.4	5.8	9	4	8	88.9	197	26.3	5.8	4	0	0
	K-261	(K-146)	210	24.0	6.1	10	5	10	100.0	227	25.1	5.7	3	2	0
	K-625	(K-148)	240	24.0	6.1	9	6	8	88.9	228	24.6	5.8	0	2	0
Newton, O. A. & Sons, Bridgeville, Del.	M-4213	(K-152)	214	25.0	6.0	12	5	12	100.0	183	25.6	6.0	7	2	0
	M-4213	(K-146)	214	25.0	6.0	12	5	12	100.0	183	25.6	6.0	7	2	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Dams (Continued) 1/

Daughters															
Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			percentage (no.)	percentage (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Pine Top Poultry Farm, Tamworth, N. H.	A-10	1146	224	27.2	7.0	12	6	11	91.7	185	25.8	6.5	5	0	0
	R-269	1147	225	26.7	6.7	14	7	11	78.6	177	24.5	5.8	5	2	0
	A-211	1153	222	27.4	6.1	15	6	11	73.3	165	24.4	5.6	5	0	0
	A-12	1156	274	25.2	5.2	14	5	8	57.1	148	26.6	5.8	3	0	0
	A-108	1156	202	27.2	5.4	11	4	7	63.6	148	26.5	5.6	3	0	0
	A-312	1170*	217	25.6	7.4	9	7	8	88.9	213	25.3	6.2	1	0	0
Twichell, H. S. & M. E. Exeter, N. H.	70	298*	239	24.8	7.5	16	7	12	75.0	225	24.5	6.3	2	4	0
	378	298*	236	26.6	7.5	17	9	13	76.5	207	25.6	6.4	3	2	0
	441	378	270	25.8	5.5	6	5	5	83.3	217	25.0	5.9	0	0	0
	1736	378	251	27.1	6.6	13	0	12	92.3	220	24.6	6.2	3	5	0
	474	989	251	24.1	5.9	13	5	8	61.5	176	24.3	5.7	1	3	0
	572	989	245	26.0	5.9	8	5	7	87.5	217	24.5	5.6	0	1	0
	285	1204	254	24.5	6.2	10	5	6	60.0	168	26.9	6.1	1	0	0
	5750	1204	260	25.1	6.1	8	5	6	75.0	195	27.0	6.1	1	0	0
	1235	1217*	223	24.2	5.2	5	4	4	80.0	194	26.3	5.8	0	0	0
	1745	1217*	247	26.4	7.2	12	8	10	83.3	242	24.7	5.4	0	2	0
	463	1229	245	24.1	5.7	9	4	5	55.6	179	24.5	5.9	0	1	0
	W-4	1232	256	24.4	6.5	17	8	11	64.7	198	24.1	5.8	1	4	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire also met the requirements for U.S.R.O.M.

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Produced (no.)	Daughters			No.comp.year but failing to qualify because of low -				
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			Completing year	Average performance						
										Egg2/ prod. (no.)	Egg wt. (oz. per doz.)		Body wt. (lbs.)			
														No.	Per- cent	
Johnson, N. K., Route 4, Snohomish, Wash.	K-178	315	28.0	6.9	3	11	45	26	38	84.4	211	25.6	5.8	9	4	0
	K-179	301	25.4	7.7	3	10	74	27	63	85.1	224	23.9	6.0	10	26	0
Van Valzah, Mrs. Robert, Goby, Va.	C-4716	238	24.5	5.5	4	6	87	36	52	59.8	153	25.4	6.1	16	5	0
	4-2654	268	27.0	---	3	7	27	21	24	88.9	222	25.2	6.5	2	1	0
Wilcox, T. N., Tryon, N. C.	M-852	252	25.1	7.0	2	2	24	20	20	83.3	243	27.8	7.5	0	0	0
	M-880	246	24.5	6.9	5	7	53	43	46	86.8	243	27.2	7.2	3	0	0
	M-882	320	24.2	6.4	2	6	29	21	24	82.8	243	25.2	7.0	0	3	0
	M-886	320	24.2	6.4	3	7	44	30	34	77.3	217	27.2	7.1	3	1	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Home-based family average.

Barred Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record				Entered (no.)	Permitted (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -						
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)					Egg wt. (oz. per doz.)	Body wt. (lbs.)								
													No.				Per- cent	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)
Ayrlawn Farms, Bethesda, Md.	806	1904	240	24.1	5.0	10	4	8	80.0	176	24.2	5.9	2	3	0					
Bertsch, Mrs. M. A., Salisbury, Mo.	D-477	C-251	207	24.8	5.0	12	6	12	100.0	199	24.6	5.9	5	4	0					
Bishop, R. Walter, Guilford, Conn.	C-72	D-1233	243	25.3	5.3	5	4	5	100.0	198	24.9	6.1	1	0	0					
	7812	2225	282	25.1	7.2	11	4	9	81.2	144	25.0	5.8	5	0	0					
	7568	2234	243	25.6	6.9	15	9	10	66.7	201	25.2	5.6	1	0	0					
	7208	3900	243	27.2	7.5	8	5	6	75.0	175	26.5	5.9	1	0	0					
	7241	5503	---	---	---	10	4	6	60.0	163	25.5	5.7	3	0	0					
	7631	5515	226	26.8	5.8	12	5	5	41.7	159	26.3	5.8	1	0	0					
	7559	5516	286	25.7	6.4	8	4	5	62.5	164	25.6	5.4	0	1	0					
	7660	5516	241	27.2	6.6	13	6	7	53.8	162	26.0	5.6	1	0	0					
Broad Acres Farm, West Cheshire, Conn.	H-518	5103	229	25.4	5.7	13	5	6	46.2	130	27.2	5.7	1	0	0					
Fellows Bros., Norwichtown, Conn.	H-912	5943	280	26.5	6.6	10	5	7	70.0	228	24.7	6.2	1	1	0					
	E-753	5944	216	26.4	5.8	8	5	8	100.0	207	25.6	5.4	3	0	0					
	E-986	5944	308	26.5	6.0	8	4	4	50.0	166	25.4	5.6	0	0	0					
	G-917	5947	254	24.5	6.3	7	5	5	71.4	227	25.4	6.2	1	1	0					
	G-3253	5947	250	24.7	5.4	12	4	7	58.3	148	26.3	5.4	2	1	0					
Johnson, N. K., Route 4, Snohomish, Wash.	J-259	K-178*	275	24.8	6.3	10	7	8	80.0	206	26.4	6.4	1	0	0					
	J-280	K-178*	268	26.5	5.6	7	5	6	85.7	250	25.4	5.7	1	0	0					
	J-297	K-178*	250	28.4	5.7	8	5	8	100.0	220	26.1	6.2	2	1	0					
	I-822	K-179*	284	24.5	6.6	7	4	7	100.0	268	24.2	6.2	0	3	0					
	J-212	K-179*	293	24.3	5.4	9	6	8	88.9	245	24.4	5.7	1	1	0					
	J-298	K-179*	264	27.2	5.7	11	5	10	90.9	230	23.8	5.6	2	3	0					
	J-235	K-186	274	24.6	5.8	12	6	10	83.3	191	24.0	5.3	2	2	0					

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record		Period of laying		Completing year		Average performance			No. completing year but failing to qualify because of low -	
									Egg wt. (oz.)	Egg2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	(no.)	(no.)	Per- cent	No.	Egg2/ prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Van Valzah, Mrs. Robert Goby, Va.	1217	C-4716*	301	25.2	6.0	17	64.7	11	158	18.9	6.0	5	1
	1228	C-4716*	285	26.3	5.5	14	50.0	7	136	24.9	5.9	2	1
	1406	C-4716*	315	25.5	6.9	18	77.8	14	181	25.4	6.1	4	1
	1580	C-4716*	277	25.1	6.9	19	68.4	13	178	25.7	6.6	2	1
	474	C-4717	260	25.6	6.5	11	72.7	8	187	26.4	6.4	3	0
	569	C-4717	204	26.2	6.2	6	83.3	5	184	27.0	5.9	1	0
	1290	C-4718	286	24.6	5.9	15	53.3	8	172	24.5	5.5	1	1
	3593	1435	236	24.7	5.0	6	83.3	5	213	26.0	5.7	0	0
Welchlin Brothers, Farmville, Va.	3625	1433	234	25.5	5.2	5	80.0	4	217	25.1	5.7	0	0
	842	4-2654*	258	25.4	5.2	4	100.0	4	243	25.1	6.4	0	0
	3525	4-2654*	228	25.0	6.4	6	100.0	6	230	25.0	6.6	0	1
	3703	4-2654*	203	24.3	6.6	6	83.3	5	229	24.9	6.5	0	0
	828	C-2828	269	24.7	5.6	6	83.3	5	241	25.3	5.6	1	0
	593	M-18	252	25.1	7.0	11	81.2	9	237	25.6	7.2	0	1
	537	M-19	320	24.2	6.4	8	75.0	6	233	26.5	7.6	0	0
	858	M-20	313	26.2	6.6	7	71.4	5	228	27.2	7.3	1	0
Wilcox, T. N., Tryon, N. C.	973	M-20	276	24.2	7.3	5	80.0	4	258	25.6	6.6	0	0
	812	M-831	283	24.9	6.5	10	100.0	10	281	25.8	6.8	0	0
	870	M-831	210	26.3	7.6	6	83.3	5	196	26.1	7.7	1	1
	925	M-833	234	25.1	6.9	6	83.3	5	256	24.2	6.4	0	1
	778	M-839	219	25.6	6.6	11	63.6	7	214	26.4	7.1	1	0
	782	M-845	278	25.0	7.9	6	83.3	5	239	25.0	8.3	0	1
	861	M-845	240	24.1	6.3	9	66.7	6	258	23.9	7.8	0	0
	872	M-850	276	29.0	7.8	6	83.3	5	238	26.9	7.9	0	0
	731	M-852*	267	28.6	5.3	7	57.1	4	215	27.9	7.1	0	0
	740	M-852*	278	26.6	7.0	17	94.1	16	255	27.7	7.6	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Non-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Barred Plymouth Rock Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number		Dam's first- year record			Entered (no.)	Produced (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -		
	Dam.	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Wilcox, T. N., Tryon, N. C. (Continued)	737 606 759 62 74 163 209 317 780 860 60 95 108	M-869 M-874 M-874 M-880* M-880* M-880* M-880* M-880* M-882* M-882* M-886* M-886* M-886*	305 231 203 271 319 231 241 233 283 296 280 261 237	24.1 26.0 26.3 29.6 29.0 27.9 28.2 28.3 24.0 24.3 26.5 24.8 28.0	6.4 6.5 8.3 7.0 7.1 7.5 7.9 7.5 5.9 6.5 6.3 6.9 7.3	8 6 9 7 11 10 8 12 9 14 8 9 15	5 5 6 5 11 8 5 9 7 9 4 8 12	6 5 7 5 11 8 7 10 7 12 5 9 12	75.0 83.3 77.8 71.4 100.0 80.0 87.5 83.3 77.8 85.7 62.5 100.0 80.0	255 233 213 218 284 238 216 230 224 263 222 253 214	26.8 25.8 26.2 27.9 27.8 26.2 27.0 27.1 25.8 24.4 27.3 26.8 27.6	6.7 6.5 6.9 7.1 7.3 7.3 7.3 7.2 7.0 6.8 7.0 7.2 7.1	0 0 0 0 0 0 2 1 0 0 3 1 1 0	1 0 1 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Entered		Qualified		Completing year			Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.P.	To- tal	Per- cent	No.	No.	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)
Buckingham, S. M., Watertown, Conn.	556 584	287 301	24.6 25.1	5.2 6.4	4 4	8 8	80.0 86.2	44 50	31 36	55 58	196 210	26.0 25.9	5.8 6.0	10 10	4 3	0 0			
Wilson's Red Farm, Greenville, S. C.	3158 4628	325 340	24.0 24.0	— —	7 8	12 11	71.1 68.2	106 75	63 57	149 110	188 197	24.5 25.2	6.0 6.0	18 7	25 11	0 0			

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb Rhode Island Red Dams 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Entered (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)		Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	Dam	Sire mate				No.							(no.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record			Progeny		Completing year		Average performance			No. completing year but failing to qualify because of low -	
Daughters	U.S.R.O.P. leg band number of -		Dam's first- year record			Progeny		Completing year		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Buckingham, S. M., Watertown, Conn. (Continued)	M-61	4012	238	25.6	8.3	6	4	6	100.0	230	26.1	6.2	1	0
	C-152	4016	239	26.4	8.0	6	4	5	83.3	176	25.8	6.4	1	0
	C-7297	4016	261	25.5	6.5	9	5	6	66.7	208	24.2	5.6	2	0
	1213	2642	251	24.9	6.5	9	4	6	66.7	167	25.4	6.2	0	0
	1271	2642	245	26.6	5.9	8	5	8	100.0	195	26.3	5.7	3	0
	1276	2642	251	26.0	5.6	6	5	4	66.7	189	26.6	6.1	0	0
	1267	2673	231	25.0	5.4	8	4	7	87.5	181	25.1	5.1	3	0
	1224	2693	227	27.3	5.8	9	4	9	100.0	195	24.5	5.3	3	0
	1270	2923	229	24.8	5.8	8	6	8	100.0	209	24.9	5.8	2	0
	K-3044	3842	239	25.1	6.6	7	4	5	71.4	194	27.0	6.0	2	0
Fellows Bros., Norwichtown, Conn. Coetgeluck, Oscar, St. Marys, W. Va. Haven, W. S., Coventry, Conn.	J-3170	5904	292	24.3	6.2	8	5	7	87.5	227	25.3	6.2	2	0
	B-1343	B-1401	240	24.3	6.6	8	5	8	100.0	221	24.6	5.9	2	0
	B-1346	B-1401	207	24.4	5.8	10	5	9	90.0	210	24.5	5.7	2	0
	E-C55C	3437	301	24.9	5.9	11	5	11	100.0	196	24.8	5.1	5	1
	E-3592	3437	248	26.1	5.4	8	5	7	87.5	185	25.8	5.7	2	0
	C-3254	5864	240	26.3	6.8	6	4	5	83.3	213	26.2	6.3	1	0
	C-3623	5864	258	27.0	5.7	7	5	5	71.4	189	25.8	6.0	0	0
	J-3563	5880	235	26.7	4.8	12	4	8	66.7	167	26.0	6.3	4	0
	G-63	G-2316	283	24.4	5.8	4	4	4	100.0	237	26.0	6.1	0	0
	G-142	G-2337	263	25.5	5.5	5	4	5	100.0	232	27.2	5.6	1	0
Lockwood Poultry Plant, Route 3, Harrison, Ohio Wilson's Red Farm, Greenville, S. C.	158	3158*	252	27.0	6.4	8	4	6	75.0	170	25.1	6.6	2	0
	182	3153*	264	26.0	6.1	29	15	23	79.3	198	24.2	6.0	4	0
	408	3158*	257	25.0	6.4	19	8	15	78.9	214	24.0	6.3	2	0
	470	3158*	253	26.0	6.2	22	14	17	77.3	201	25.2	5.9	3	0
	523	3158*	258	25.0	6.0	10	5	7	70.0	199	25.4	5.7	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb Rhode Island Red Dams (Continued) 1/

Breeder's name and address	U.S.R.O.P. leg band number	Dam's first- year record			Entered (no.)	Qualified (no.)	Completing year		Average performance			No. completing year but failing to qualify because of low -			
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.		
Wilson's Red Farm, Greenville, S. C. (Continued)	589	3158*	253	26.0	5.5	16	6	9	56.3	164	25.1	6.0	2	1	0
	595	3158*	250	27.0	6.3	7	4	5	71.4	177	26.3	6.4	1	0	0
	172	4628*	266	27.0	5.6	15	5	9	60.0	161	24.4	5.8	1	3	0
	403	4628*	272	26.0	5.5	11	6	6	54.5	179	25.8	6.1	0	0	0
	406	4628*	271	27.0	5.9	18	8	11	61.1	184	25.9	5.8	2	1	0
	623	4628*	265	26.0	5.9	14	9	10	71.4	214	26.3	6.1	1	0	0
	859	4628*	269	28.0	6.6	15	9	13	86.7	237	24.4	6.5	1	3	0
	1004	4628*	265	27.0	5.6	10	7	8	80.0	225	24.9	5.7	0	1	0
	2-1	4628*	299	24.0	—	10	6	7	70.0	215	25.5	6.1	0	1	0
	2-9	4628*	286	24.0	—	5	4	4	80.0	212	24.8	6.1	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Daughters					No.comp.year but failing to qualify because of low -			
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal	Entered (no.)	Qualified (no.)	Completing year		Average performance					
									Per- cent	No.	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)		Body wt. (lbs.)		
Ward, A. H., Independence, Iowa	K-2681	238	26.0	6.3	1	10	54	20	28	51.9	164	25.1	5.7	2	6	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

White Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first-year record			Bred (no.)	No. of birds	Completing year		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			No.	Per cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Barsanti, Frank A., Tulsa, Okla. Collins & Ripper Poultry Farm, Seymour, Iowa	1330	2956	280	24.6	7.4	8	4	4	50.0	174	24.7	6.3	0	0
	1333	2956	236	25.4	6.6	6	4	4	66.7	197	25.7	6.2	0	0
	K-58	K-1043	252	26.2	6.1	7	4	5	71.4	156	26.9	6.8	1	0
	K-78	2196	254	24.1	5.7	11	4	9	81.8	147	25.5	6.4	5	0
Holtzapfel Poultry Farm Elida, Ohio	G-175	F-421	243	26.6	6.8	8	4	4	50.0	167	24.9	5.5	0	0
	F-126	G-2457	207	24.2	5.9	11	4	8	72.7	161	25.2	6.9	4	0
	F-436	G-2456	209	26.1	5.4	12	4	6	50.0	141	25.2	7.1	2	0
	D-553	C-1188	251	26.7	---	6	5	5	83.3	233	25.1	7.0	1	0
Ward, A. H., Independence, Iowa	K-211	K-1360	251	24.4	7.5	14	5	10	71.4	178	24.8	6.3	3	0
	K-42	K-1959	217	26.9	6.1	13	7	7	38.9	155	25.1	5.9	1	0
	K-960	K-1959	237	26.4	6.2	9	4	5	55.6	196	24.8	6.1	1	0
	K-542	K-2681*	233	24.0	5.5	10	8	9	90.0	207	24.9	5.5	1	0
	K-712	K-2738	282	24.3	5.9	13	5	5	38.5	177	24.5	5.7	0	0
	K-455	K-2976	258	24.3	5.1	11	4	6	54.5	185	24.0	5.6	1	1
	K-938	K-3006	242	25.4	6.5	14	6	7	50.0	143	26.1	6.8	3	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Daughters				No.comp.year but failing to qualify because of low -					
		Egg prod. (no.)	Egg wt. (oz.) per doz.)	Body wt. (lbs.)	U.S. R.C.M.	To- tal	Entered (no.)	Qualified (no.)	Completing year			Average performance				
									Per- cent	Egg2/ prod. (no.)		Egg wt. (oz.) per doz.)	Body wt. (lbs.)			
														No.	Egg prod.	Egg wt.
Miller, Hugh, Checotah, Okla.	2796 2799	241 231	24.7 24.6	6.0 6.1	4 2	9 9	75 58	32 24	63 51	84.0 87.9	182 186	24.9 24.9	5.7 5.6	19 15	12 11	0 1

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

White Wyandotte Dams 1/

Breeder's name and address	U.S.R.O.P. leg band number	Dam's first- year record				percentage		percentage		Completing year			Average performance			No. completing year but failing to qualify because of low -		
		Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	No.	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.		
Miller, Hugh, Checotah, Okla.	1253 1255 1257 1281 1256 1694	2796* 2796* 2796* 2796* 2799* 2799*	236 226 231 286 241 200	25.5 24.6 24.6 26.2 25.4 28.4	5.3 5.3 6.1 7.6 6.1 5.3	15 13 10 14 16 5	9 5 6 8 10 4	14 12 10 11 15 5	93.3 92.3 100.0 78.6 93.8 100.0	208 192 209 183 190 224	24.9 24.3 25.1 25.5 25.0 26.8	5.3 5.5 5.7 6.2 5.9 5.6	4 3 4 2 3 1	3 5 0 0 2 0	0 0 0 0 0 0			

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg band number		Dam's first- year record			Entered		Qualified		Completing year			Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Per- cent	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Egg prod. wt.	Egg wt.	Body wt.		
Brown, Tracy D., Tulsa, Okla.	1162	2854	240	25.5	5.8	7	5	6	85.7	201	26.2	4.9	1	0	0	0		
	1082	2964	202	24.7	4.6	5	4	4	80.0	218	25.5	5.3	0	0	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

1. Name of the vessel
 2. Date of departure
 3. Name of the captain
 4. Name of the crew
 5. Name of the passengers
 6. Name of the cargo
 7. Name of the destination
 8. Name of the agent
 9. Name of the broker
 10. Name of the consignee

No.	Name of the vessel	Date of departure	Name of the captain	Name of the crew	Name of the passengers	Name of the cargo	Name of the destination	Name of the agent	Name of the broker	Name of the consignee	Remarks
1
2
3
4
5
6
7
8
9
10

